


FOR PANCREATIC PSEUDOCYST DRAINAGE **PSEUDOCYST STENT**



Your Trusted Partner In Endoscopy!

SECURE HOLD FOR RELIABLE DRAINAGES

The Pancreas pseudocyst stent is used for reliable drainage of endoscopic removal of concrement. The design of the stent with its distal umbrella form and proximal tulip causes that during an eventual migration only a dislocation into the stomach occurs and not into the cyst. By the large diameter of 16 mm in the middle of the stent it is possible to remove concrement endoscopically. The 10.5 French TTS (through-the-scope) insertion system is brought into position through the working channel of the endoscope with the aid of a guide wire. When the stent is released, 4 radiopaque markers at each end of the stent ensure excellent identification on radiological images.

Specific characteristics:

- Stent with complete silicone covering
- High degree of positional stability
- Atraumatic tips
- High level of radial force
- Tantalum radiomarkers
- TTS insertion system
- Guide wire passage up to 0.035 inches







SPECIFICATIONS

REF	Lumen Diameter (mm)	Flange Diameter (mm)	Total Length (mm)	Delivery System (Fr)	Working length (cm)
ST33-544-10.015	10	20	15	10.5	180
ST33-544-10.020	10	20	20	10.5	180
ST33-544-10.025	10	20	25	10.5	180
ST33-544-10.030	10	20	30	10.5	180
ST33-544-10.015	12	22	15	10.5	180
ST33-544-10.020	12	22	20	10.5	180
ST33-544-10.025	12	22	25	10.5	180
ST33-544-10.030	12	22	30	10.5	180
ST33-544-10.015	14	24	15	10.5	180
ST33-544-10.020	14	24	20	10.5	180
ST33-544-10.025	14	24	25	10.5	180
ST33-544-10.030	14	24	30	10.5	180
ST33-544-10.015	16	26	15	10.5	180
ST33-544-10.020	16	26	20	10.5	180
ST33-544-10.025	16	26	25	10.5	180
ST33-544-10.030	16	26	30	10.5	180

CAN'T FIND IT?

Additional items may be available. Contact us if you can't find what you need.



Micro-tech.com.cn/en/ Sales@micro-tech.com.cn