

MICRO-TECH

YOUR TRUSTED PARTNER IN ENDOSCOPY!

GI ENDOSCOPY DEVICES  
& ACCESSORIES

# PRODUCT CATALOG



MICRO-TECH (Nanjing) Co., Ltd,

No.10, Gaoke 3rd Road, National Hi-Tech Zone, Nanjing, China, 210032

PHONE +86-25-58646393 | E-MAIL sales@micro-tech.com.cn

FAX +86-25-58744269 | Mtmarketing@micro-tech.com.cn

HTTP www.micro-tech-medical.com





Esophageal Stents | 08 |



Biliary Stents | 13 |



Pancreatic Pseudocyst Stents | 15 |




Intestinal Stents | 16 |



Tracheal Stents | 21 |



Dilation Balloons | 26 |



Hemostasis Clip Family | 30 |



**SHOW**  
SHORT WIRE SYSTEM  
Biliary ERCP (Shortwire) | 35 |



Biliary ERCP (Longwire) | 41 |



Guidewires | 56 |



ESD Knives | 58 |



Snares | 59 |



Injection Needles | 62 |



Retrieval Devices | 74 |



EUS Needles | 66 |




Biopsy Forceps | 69 |




Cytology Brushes | 74 |




Multiple Band Ligator Set | 75 |



Accessories | 80 |



Magnetic Resonance  
Conditional<sup>1</sup>



For Single-Use Only.  
Do Not Reuse.

<sup>1</sup> Product with this symbol may be used in Magnetic Resonance environment according to the conditions described in Instruction for use. Indications, Contraindications, Warnings and Instructions for Use can be found in the product labeling supplied with each device.

For further information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)

B-1-201911 Rev.8.0

ESOPHAGEAL STENT

# Standard Esophageal Stents


MICRO-TECH provides you with a comprehensive selection of self-expanding stents for advancing through strictures. The stents are characterised by very high flexibility. The working diameter of the stent is 18 or 20 mm; as regards the lengths, models of between 60 and 120 mm are available. The optimum solution is therefore always at hand for every indication.



Performance Characteristics

- Resheathable
- Nitinol mesh with atraumatic ends
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- Fully covered stents available
- High radiopacity
- Extraction threads for removal and repositioning
- Compatible guide-wire up to 0.035 inches

Successful in Practical Use



View of the proximal tulip

Released under X-ray

The stent adapts to the oesophageal wall in the best possible manner thanks to its atraumatic shape and high radial force. Furthermore, the stent possesses excellent radiopacity and can be positioned with good visibility and precision at significant points with the aid of the additional X-ray markings.

X-ray markings on the introducer indicate the ultimate position of the completely opened stent and assist its precise placement.


Specifications

| REF                                          | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|----------------------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                              | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Standard Esophageal Stents Partially-Covered |                   |                         |                          |                        |           |  |
| ST01-232-18.060                              | 18                | 60                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-18.080                              | 18                | 80                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-18.100                              | 18                | 100                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-18.120                              | 18                | 120                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-20.060                              | 20                | 60                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-20.080                              | 20                | 80                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-20.100                              | 20                | 100                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-232-20.120                              | 20                | 120                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| Standard Esophageal Stents Fully-Covered     |                   |                         |                          |                        |           |  |
| ST01-234-18.060                              | 18                | 60                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-18.080                              | 18                | 80                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-18.100                              | 18                | 100                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-18.120                              | 18                | 120                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-20.060                              | 20                | 60                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-20.080                              | 20                | 80                      | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-20.100                              | 20                | 100                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |
| ST01-234-20.120                              | 20                | 120                     | 24/8                     | 650                    | 1/Box     | ✓                                                                                     |

Esophageal Stent

# Softcup Esophageal Stents


The Softcup esophageal stent from MICRO-TECH is equipped with a particularly soft proximal covered end, which prevent the hyperplasia causing restenosis. The interlaced mesh cup is designed to facilitate the end closure during stent extraction. The equipped thread is dedicated to the position adjustment while releasing the stent and to the subsequent extraction the stent is preloaded on the high-precision PRODIS introducer. This guarantees reliable release and simultaneously leaves the choice open to the user as to whether the stent should be released from the proximal towards the stent distal direction (PROximal release) or from the distal towards the proximal direction (DISTal release).



Performance Characteristics

- Nitinol mesh with atraumatic ends
- Proximal Softcup design
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- Complete covering
- High radiopacity
- Extraction threads for removal and repositioning
- Compatible guide-wire up to 0.035 inches

Successful in practical use



View into the released stent      Released stent

The Softcup esophageal stent is completely covered and reduces the irritative stress for the patient with its particularly soft proximal tulip made of silicone. Its special design and the high radial force render the stent extremely positionally stable and guarantees a very snug fit on the esophageal wall. The good radiopacity and additional X-ray markings at significant points also facilitate orientation during stent placement.

Maximum hold, Maximum comfort

The special design of the Softcup esophagus stent ensures excellent positional stability and is gentle on the patient at the same time: the soft end reduces the unpleasant sensation of carrying a foreign body in the esophagus.



Specifications

| REF                       | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|---------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                           | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Softcup Esophageal Stents |                   |                         |                          |                        |           |  |
| ST31-234-18.060           | 18                | 60                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-18.080           | 18                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-18.100           | 18                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-18.120           | 18                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-20.060           | 20                | 60                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-20.080           | 20                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-20.100           | 20                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST31-234-20.120           | 20                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |

# Anti-Reflux Esophageal Stents

Bypass of the cardia with a stent results in gastroesophageal reflux. In order to prevent the latter and thereby minimise the risk of bronchopulmonary aspirations, the Anti-Reflux Esophageal Stents from MICRO-TECH are equipped with a unique valve system.

The revolutionary aspect of the valve is its 2-way function which imitates the human protective mechanism perfectly. On the one hand, it allows food and liquids to enter the stomach unimpeded and reliably prevents reflux. On the other, it opens in the oral direction in case of excessive pressure. The patient can therefore obtain relief by vomiting in spite of the valve. The valve is particularly flexible and, at the same time, highly resistant to gastric acid.

### Performance Characteristics

- Innovative 1-way valve system
- Nitinol mesh with atraumatic ends
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- High radiopacity
- Extraction threads for removal and repositioning
- Compatible guide-wire up to 0.035 inches


### Specifications

| REF                                             | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|-------------------------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                                 | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Anti-Reflux Esophageal Stents Partially-Covered |                   |                         |                          |                        |           |  |
| ST21-112-18.100                                 | 18                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST21-112-20.100                                 | 20                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| Anti-Reflux Esophageal Stents Fully-Covered     |                   |                         |                          |                        |           |  |
| ST21-114-18.100                                 | 18                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST21-114-20.100                                 | 20                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |

# Cardia Stents

Treatment of the cardia is mainly associated with two complications. Firstly, the stent has an increased tendency to migrate at this point. Secondly, a stent end may protrude far into the stomach and cause pressure necrosis. The Cardia Stent by MICRO TECH is a specially designed stent perfectly tailored to this challenging anatomical diagnosis.

Its unique design gives the Cardia-Umbrella-Stent extremely high positional stability and prevents its migration in both the gastric and oral directions. The special feature here is the fact that the lower oesophageal sphincter lies between the bulbous section and the distal end of the stent which is shaped like an opened umbrella. Furthermore, the stent does not protrude into the stomach as a result of this umbrella-shaped design, ending directly behind the oesophageal gastric junction. The risk of pressure necrosis is thus markedly reduced and any potential patient discomfort is decreased.



### Performance Characteristics


- Unique umbrella design
- Nitinol mesh with atraumatic ends
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- Fully covered stents available
- High radiopacity
- Extraction threads for removal and repositioning
- Compatible guide-wire up to 0.035 inches




X-ray marking

Successful in practical use

The inverse view from the stomach of the distal end of the stent shows how the umbrella end clings to the gastric mucosa directly behind the cardia without protruding into the stomach. From the perspective of the oesophagus into the stent, the bulge before the cardia and the shaping of the stent in the area of the cardia can be clearly distinguished. Both guarantee excellent positional stability for the stent.



View of the umbrella end (stomach)



View into the released stent (oesophagus)



Keeps its promises


Together with the high radial force, the spherical proximal end and the complete covering, the innovative umbrella design guarantees ideal hold in the area of the cardia. Radiopaque markers in prominent positions ease the placement of the stent under radiological view.

Specifications

| REF                             | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|---------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                 | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Cardia Stents Partially-Covered |                   |                         |                          |                        |           |  |
| ST01-982-24.080                 | 24                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST01-982-24.100                 | 24                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST01-982-24.120                 | 24                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| Cardia Stents Fully-Covered     |                   |                         |                          |                        |           |  |
| ST01-984-24.080                 | 24                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST01-984-24.100                 | 24                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST01-984-24.120                 | 24                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |

Esophageal Stent  
Segmented Stents

Esophageal Stents with segmented design to allow higher flexibility and conformity for bypassing esophageal stenoses.



Performance Characteristics

- Segmented modular stent body allowing independent movements between each module to maximize conformance to curved or tortuous anatomy
- Segmented design minimizes migration
- Comparable radial force
- Retrieval suture for removal and repositioning

Segmented design




Specifications

| REF                            | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|--------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Segmented Stents Fully-Covered |                   |                         |                          |                        |           |  |
| ST71-224-18.060                | 18                | 60                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-18.080                | 18                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-18.100                | 18                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-18.120                | 18                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-18.140                | 18                | 140                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-20.060                | 20                | 60                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-20.080                | 20                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-20.100                | 20                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-20.120                | 20                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-20.140                | 20                | 140                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-22.060                | 22                | 60                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-22.080                | 22                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-22.100                | 22                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-22.120                | 22                | 120                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-22.140                | 22                | 140                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |
| ST71-224-22.150                | 22                | 150                     | 24/8                     | 650                    | 1/Box     | \                                                                                     |


Biliary stent

The Biliary Stent is preloaded on the delivery system for ERCP or PTCD. The stent for ERCP is placed through the working channel of the endoscope. The system is introduced into the biliary duct through the papilla under visual control.



Performance Characteristics

- Available for ERCP and PTCD
- Nitinol wire mesh with atraumatic ends
- Release under visual endoscopic control
- Excellent position stability
- High radiopacity
- Compatible guide-wire up to 0.035 inches



Specifications

| REF                             | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                        |
|---------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|-------------------------------------------------------------------------------------|
|                                 | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                     |
| Biliary stent Non-Covered       |                   |                         |                          |                        |           |  |
| ST03-001-10.040                 | 10                | 40                      | 8/2.7                    | 1800                   | 1/Box     | √                                                                                   |
| ST03-001-10.060                 | 10                | 60                      | 8/2.7                    | 1800                   | 1/Box     | √                                                                                   |
| ST03-001-10.080                 | 10                | 80                      | 8/2.7                    | 1800                   | 1/Box     | √                                                                                   |
| ST03-001-10.100                 | 10                | 100                     | 8/2.7                    | 1800                   | 1/Box     | √                                                                                   |
| Biliary stent Partially-Covered |                   |                         |                          |                        |           |  |
| ST03-002-10.040                 | 10                | 40                      | 9/3.0                    | 1800                   | 1/Box     | √                                                                                   |
| ST03-002-10.060                 | 10                | 60                      | 9/3.0                    | 1800                   | 1/Box     | √                                                                                   |
| ST03-002-10.080                 | 10                | 80                      | 9/3.0                    | 1800                   | 1/Box     | √                                                                                   |
| ST03-002-10.100                 | 10                | 100                     | 9/3.0                    | 1800                   | 1/Box     | √                                                                                   |
| Biliary stent Fully-Covered     |                   |                         |                          |                        |           |  |
| ST03-004-10.040                 | 10                | 40                      | 9/3.0                    | 1800                   | 1/Box     | \                                                                                   |
| ST03-004-10.050                 | 10                | 50                      | 9/3.0                    | 1800                   | 1/Box     | \                                                                                   |
| ST03-004-10.060                 | 10                | 60                      | 9/3.0                    | 1800                   | 1/Box     | \                                                                                   |
| ST03-004-10.080                 | 10                | 80                      | 9/3.0                    | 1800                   | 1/Box     | \                                                                                   |
| ST03-004-10.100                 | 10                | 100                     | 9/3.0                    | 1800                   | 1/Box     | \                                                                                   |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)

Sterile Pancreatic Pseudocyst Stent  
with Delivery System

Performance Characteristics

- New bridge between gastrointestinal lumen and pancreas
- Self-expanding stent with mashroom and umbrella ends, more safety (mashroom avoid the stent dropping into the pancreas, umbrella for easy-retrieval)
- Special safe lock to ensure the release process in the safe condition
- Fully covering, to prevent the hyperplasia
- Innovative drainage method, less complication, higher efficiency



Specifications

| REF                         | Stent             |                         | Delivery System          |                        | Packaging | Resheathable |
|-----------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|--------------|
|                             | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |              |
| Pancreatic Pseudocyst Stent |                   |                         |                          |                        |           |              |
| NST33-544-10.015            | 10                | 15                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-10.020            | 10                | 20                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-10.025            | 10                | 25                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-10.030            | 10                | 30                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-12.015            | 12                | 15                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-12.020            | 12                | 20                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-12.025            | 12                | 25                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-12.030            | 12                | 30                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-14.015            | 14                | 15                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-14.020            | 14                | 20                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-14.025            | 14                | 25                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-14.030            | 14                | 30                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-16.015            | 16                | 15                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-16.020            | 16                | 20                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-16.025            | 16                | 25                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |
| NST33-544-16.030            | 16                | 30                      | 10.5/3.5                 | 1800                   | 1/Box     | \            |

Intestinal Stent



# Duodenal Stents

The self-expanding Nitinol duodenal stents are used to bypass stenoses in the duodenum. Their spherical ends adapt perfectly to the anatomy of the duodenum, thereby guaranteeing maximum positional stability. Stents with and without covering are available depending on the indication.

The duodenal stent is preloaded on a TTS introducer (through-the scope) as standard. Insertion can therefore be performed through the working channel of the endoscope and the stent can be released under endoscopic observation. X-ray markings on the introducer and on the stent ensure optimum radiological visualisation.

Successful in Practical Use

The X-ray images show the release process under radiological monitoring. The good radiopacity plus additional X-ray markings on the stent assist orientation and facilitate the release of the duodenal stent. The endoscopic position control clarifies the stent's optimum expansion.




Always the Appropriate Solution

With a diameter of 20 mm and different lengths of 60, 80 or 100 mm, the range of duodenal stents always offers you the right size for your patient.

Performance Characteristics

- Spherical ends
- Nitinol mesh with atraumatic ends
- Release under endoscopic observation
- Excellent positional stability
- Resistant and elastic covering
- High radiopacity
- Extraction threads for removal and repositioning
- Compatible guide-wire up to 0.035 inches




Specifications

| REF                               | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|-----------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                   | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Duodenal Stents Non-Covered       |                   |                         |                          |                        |           |  |
| ST74-331-20.060                   | 20                | 60                      | 10/3.3                   | 1800                   | 1/Box     | \                                                                                     |
| ST74-331-20.080                   | 20                | 80                      | 10/3.3                   | 1800                   | 1/Box     | \                                                                                     |
| ST74-331-20.100                   | 20                | 100                     | 10/3.3                   | 1800                   | 1/Box     | \                                                                                     |
| Duodenal Stents Partially-Covered |                   |                         |                          |                        |           |  |
| ST74-332-20.060                   | 20                | 60                      | 10.5/3.5                 | 1800                   | 1/Box     | \                                                                                     |
| ST74-332-20.080                   | 20                | 80                      | 10.5/3.5                 | 1800                   | 1/Box     | \                                                                                     |
| ST74-332-20.100                   | 20                | 100                     | 10.5/3.5                 | 1800                   | 1/Box     | \                                                                                     |
| Duodenal Stents Fully-Covered     |                   |                         |                          |                        |           |  |
| ST74-334-20.060                   | 20                | 60                      | 11/3.7                   | 1800                   | 1/Box     | \                                                                                     |
| ST74-334-20.080                   | 20                | 80                      | 11/3.7                   | 1800                   | 1/Box     | \                                                                                     |
| ST74-334-20.100                   | 20                | 100                     | 11/3.7                   | 1800                   | 1/Box     | \                                                                                     |

Intestinal Stent


# Colonic and Rectal Stents

Positional stability is paramount with colonic stents. MICRO-TECH TTS colonic and rectal stents are known for their ability to anchor safely inside the bowel and optimally adapt to the anatomy and peristalsis of the colon. The transition from the main body of the stent to its spherical ends is flush, thus ensuring smooth contact with the colon wall




Performance Characteristics

- Nitinol mesh with atraumatic ends
- Anatomical design
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- High radiopacity
- Extraction threads for removal and repositioning
- Compatible guide-wire up to 0.035 inches




Spherical end

Successful in Practical Use



Control with contrast medium



Released colonic stent

The stents are convincing in practice by the good opening behaviour and the special distinctive end shape of the colon stent with which the stents can be firmly anchored in the semilunar folds of the colon. In order to facilitate orientation during release, the stents have additional X-ray markings at all significant points.



Colonic and rectal stents

Positionally stable in all sizes


The colonic and rectal stents are available in a length of either 80 mm or 100 mm.

Specifications

| REF                                             | Stent          |                      | Delivery System       |                     | Packaging | Resheathable                                                                          |
|-------------------------------------------------|----------------|----------------------|-----------------------|---------------------|-----------|---------------------------------------------------------------------------------------|
|                                                 | Body O.D. (mm) | Expanded Length (mm) | Catheter O.D. (Fr/mm) | Working Length (mm) |           |                                                                                       |
| Colonic and Rectal Stents Non-Covered (Colonic) |                |                      |                       |                     |           |  |
| ST64-331-24.080                                 | 24             | 80                   | 10/3.3                | 2300                | 1/Box     | \                                                                                     |
| ST64-331-24.100                                 | 24             | 100                  | 10/3.3                | 2300                | 1/Box     | \                                                                                     |
| ST64-331-26.060                                 | 26             | 80                   | 10/3.3                | 2300                | 1/Box     | \                                                                                     |
| ST64-331-26.060                                 | 26             | 100                  | 10/3.3                | 2300                | 1/Box     | \                                                                                     |
| Colonic and Rectal Stents Non-Covered (Rectal)  |                |                      |                       |                     |           |  |
| ST44-331-24.080                                 | 24             | 80                   | 24/8                  | 650                 | 1/Box     | \                                                                                     |
| ST44-331-24.100                                 | 24             | 100                  | 24/8                  | 650                 | 1/Box     | \                                                                                     |
| ST44-331-26.080                                 | 26             | 80                   | 24/8                  | 650                 | 1/Box     | \                                                                                     |
| ST44-331-26.100                                 | 26             | 100                  | 24/8                  | 650                 | 1/Box     | \                                                                                     |


Standard Tracheal / Bronchial stents

The highly varied selection of self-expanding stents for the respiratory tracts offers you the right solution for every indication. All in all, different diameters of 14 and 16mm in addition to different lengths of between 40 to 60 mm are available. Spherical ends in addition to the high radial force of the stent ensure a firm hold and minimise migration risk.



Performance Characteristics

- Nitinol mesh with atraumatic ends
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- Fully covered stents available
- High radiopacity
- Compatible guide-wire up to 0.035 inches



| REF                                                   | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                        |
|-------------------------------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|-------------------------------------------------------------------------------------|
|                                                       | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                     |
| Colonic and Rectal Stents Partially-Covered (Colonic) |                   |                         |                          |                        |           |  |
| ST64-332-24.080                                       | 24                | 80                      | 10.5/3.5                 | 2300                   | 1/Box     | \                                                                                   |
| ST64-332-24.100                                       | 24                | 100                     | 10.5/3.5                 | 2300                   | 1/Box     | \                                                                                   |
| ST64-332-26.080                                       | 26                | 80                      | 10.5/3.5                 | 2300                   | 1/Box     | \                                                                                   |
| ST64-332-26.100                                       | 26                | 100                     | 10.5/3.5                 | 2300                   | 1/Box     | \                                                                                   |
| Colonic and Rectal Stents Partially-Covered (Rectal)  |                   |                         |                          |                        |           |  |
| ST44-332-24.080                                       | 24                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| ST44-332-24.100                                       | 24                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| ST44-332-26.080                                       | 26                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| ST44-332-26.100                                       | 26                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| Colonic and Rectal Stents Fully-Covered (Colonic)     |                   |                         |                          |                        |           |  |
| ST64-334-24.080                                       | 24                | 80                      | 11/3.7                   | 2300                   | 1/Box     | \                                                                                   |
| ST64-334-24.100                                       | 24                | 100                     | 11/3.7                   | 2300                   | 1/Box     | \                                                                                   |
| Colonic and Rectal Stents Partially-Covered (Rectal)  |                   |                         |                          |                        |           |  |
| ST44-334-24.080                                       | 24                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| ST44-334-24.100                                       | 24                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| ST44-334-26.080                                       | 26                | 80                      | 24/8                     | 650                    | 1/Box     | \                                                                                   |
| ST44-334-26.100                                       | 26                | 100                     | 24/8                     | 650                    | 1/Box     | \                                                                                   |

Specifications

| REF                                                  | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|------------------------------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                                      | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| Standard Tracheal/Bronchial Stents Non-Covered       |                   |                         |                          |                        |           |    |
| ST02-331-14.040                                      | 14                | 40                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| ST02-331-14.050                                      | 14                | 50                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| ST02-331-14.060                                      | 14                | 60                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| ST02-331-16.040                                      | 16                | 40                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| ST02-331-16.050                                      | 16                | 50                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| ST02-331-16.060                                      | 16                | 60                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| Standard Tracheal/Bronchial Stents Partially-Covered |                   |                         |                          |                        |           |    |
| ST02-332-14.040                                      | 14                | 40                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-332-14.050                                      | 14                | 50                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-332-14.060                                      | 14                | 60                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-332-16.040                                      | 16                | 40                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-332-16.050                                      | 16                | 50                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-332-16.060                                      | 16                | 60                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| Standard Tracheal/Bronchial Stents Fully-Covered     |                   |                         |                          |                        |           |  |
| ST02-334-14.040                                      | 14                | 40                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-334-14.050                                      | 14                | 50                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-334-14.060                                      | 14                | 60                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-334-16.040                                      | 16                | 40                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-334-16.050                                      | 16                | 50                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |
| ST02-334-16.060                                      | 16                | 60                      | 18/6.0                   | 600                    | 1/Box     | \                                                                                     |

Tracheal Stent

# Y-Shape Tracheal Stents


A world innovation.

MICRO-TECH is the world’s first company to present a self-expanding Y-stent for bypassing respiratory tract stenoses in the area around the carina. Its innovative design ensures a stable position and guarantees significant treatment advances in the trachea and in both main bronchi.



Performance Characteristics

- Y-design
- Nitinol mesh with atraumatic ends
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- High radiopacity
- Compatible guide-wire up to 0.035 inches




Specifications

| REF                                       | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                        |
|-------------------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|-------------------------------------------------------------------------------------|
|                                           | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                     |
| Y-Shape Tracheal Stents Non-Covered       |                   |                         |                          |                        |           |  |
| ST02-961-18.050                           | 18                | 50                      | 24/8                     | 600                    | 1/Box     | \                                                                                   |
| ST02-961-18.060                           | 18                | 60                      | 24/8                     | 600                    | 1/Box     | \                                                                                   |
| Y-Shape Tracheal Stents Partially-Covered |                   |                         |                          |                        |           |  |
| ST02-962-18.050                           | 18                | 50                      | 24/8                     | 600                    | 1/Box     | \                                                                                   |
| ST02-962-18.060                           | 18                | 60                      | 24/8                     | 600                    | 1/Box     | \                                                                                   |
| Y-Shape Tracheal Sents Fully-Covered      |                   |                         |                          |                        |           |  |
| ST02-964-18.050                           | 18                | 50                      | 24/8                     | 600                    | 1/Box     | \                                                                                   |
| ST02-964-18.060                           | 18                | 60                      | 24/8                     | 600                    | 1/Box     | \                                                                                   |

MICRO-TECH would like to introduce an additional special stent designed specifically for treatment of the respiratory tracts in the shape of the self-expanding Carina-J-Stent. Owing to its angled design in the form of a J, the stent can be perfectly placed in the trachea and the remaining main bronchus after pneumectomy has been performed. The completely covered stent protects the surgical suture. At the same time, it seals any existing suture insufficiencies and effectively prevents suture stenoses. You can therefore reduce the risk of complications with the J-stent and assist the patient's healing process.

Tracheal Stent

# J-Shape Tracheal Stents



Performance Characteristics

- Angled J-design
- Nitinol mesh with atraumatic ends
- Excellent positional stability
- High radial force
- Resistant and elastic covering
- Complete covering
- High radiopacity

Specifications

| REF                                  | Stent             |                         | Delivery System          |                        | Packaging | Resheathable                                                                          |
|--------------------------------------|-------------------|-------------------------|--------------------------|------------------------|-----------|---------------------------------------------------------------------------------------|
|                                      | Body O.D.<br>(mm) | Expanded Length<br>(mm) | Catheter O.D.<br>(Fr/mm) | Working Length<br>(mm) |           |                                                                                       |
| J-Shape Tracheal Stent Fully-Covered |                   |                         |                          |                        |           |  |
| ST02-974-16.040                      | 16                | 40                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |
| ST02-974-16.050                      | 16                | 50                      | 18/6.0                   | 650                    | 1/Box     | \                                                                                     |


# Dilation Balloons

- Disposable Dilation Balloon
- Disposable Multistage Dilation Balloon Catheter
- Rapide™ Multistage Dilatation Balloon Catheter

The Multi-Stage Balloon provides 3 distinct sizes at set pressures and features little to no waisting.

The clear material and balloon design supports visualization throughout the procedure.

The Single-Stage Nylon Balloon provides high tensile strength and accurate sizing, at the maximum pressure, with no waisting.



Balloons are available in sizes from 6mm to 20mm with a pre-loaded .035 guide-wire, to facilitate placement in complex strictures or tortuous anatomy.

## Performance Characteristics

- Choose from either the Multi-Stage flexibility of the wire-guided Pebax balloon, delivering reliable 3 stage flexibility and control; or a Single-Stage wire-guided Nylon balloon that features no waisting for confident dilation
- All balloons feature two radiopaque markers, at the balloon shoulder, allowing for accurate placement across the stricture. The dedicated inflation port permits the introduction of contrast to further enhance visibility if desired
- The rounded tip aids in the smooth passage of the balloon across the stricture. Each balloon is provided with a pre-loaded 0.035 guide-wire with torque device, to assist in placement in tortuous or altered anatomy

## Specifications

| REF                                          | Balloon Type            | Balloon Diameter (mm) | Catheter Diameter (Fr) | Balloon Length (mm) | Catheter Length (mm) | Minimum Working Channel (mm) |
|----------------------------------------------|-------------------------|-----------------------|------------------------|---------------------|----------------------|------------------------------|
| Wire-Guided Multi-Stage - Esophageal/Pyloric |                         |                       |                        |                     |                      |                              |
| MBD-AM-BA-2                                  | Wire-Guided Multi-Stage | 6-7-8                 | 7                      | 55                  | 1800                 | 2.8                          |
| MBD-BM-BA-2                                  | Wire-Guided Multi-Stage | 8-9-10                | 7                      | 55                  | 1800                 | 2.8                          |
| MBD-CM-BA-2                                  | Wire-Guided Multi-Stage | 10-11-12              | 7                      | 55                  | 1800                 | 2.8                          |
| MBD-DM-BA-2                                  | Wire-Guided Multi-Stage | 12-13.5-15            | 7                      | 55                  | 1800                 | 2.8                          |
| MBD-EM-BA-2                                  | Wire-Guided Multi-Stage | 15-16.5-18            | 7                      | 55                  | 1800                 | 2.8                          |
| MBD-FM-BA-2                                  | Wire-Guided Multi-Stage | 18-19-20              | 7                      | 55                  | 1800                 | 3.2                          |
| MBD-AL-BA-2                                  | Wire-Guided Multi-Stage | 6-7-8                 | 7                      | 80                  | 1800                 | 2.8                          |
| MBD-BL-BA-2                                  | Wire-Guided Multi-Stage | 8-9-10                | 7                      | 80                  | 1800                 | 2.8                          |
| MBD-CL-BA-2                                  | Wire-Guided Multi-Stage | 10-11-12              | 7                      | 80                  | 1800                 | 2.8                          |
| MBD-DL-BA-2                                  | Wire-Guided Multi-Stage | 12-13.5-15            | 7                      | 80                  | 1800                 | 2.8                          |
| MBD-EL-BA-2                                  | Wire-Guided Multi-Stage | 15-16.5-18            | 7                      | 80                  | 1800                 | 2.8                          |
| MBD-FL-BA-2                                  | Wire-Guided Multi-Stage | 18-19-20              | 7                      | 80                  | 1800                 | 3.2                          |
| Rapide™ Fixed-Wire Multi-Stage - Esophageal  |                         |                       |                        |                     |                      |                              |
| FWB-06/80-6/18-M                             | Fixed-Wire Multi-Stage  | 6-7-8                 | 6                      | 80                  | 1800                 | 2.8                          |
| FWB-08/80-6/18-M                             | Fixed-Wire Multi-Stage  | 8-9-10                | 6                      | 80                  | 1800                 | 2.8                          |
| FWB-10/80-6/18-M                             | Fixed-Wire Multi-Stage  | 10-11-12              | 6                      | 80                  | 1800                 | 2.8                          |
| FWB-12/80-6/18-M                             | Fixed-Wire Multi-Stage  | 12-13.5-15            | 6                      | 80                  | 1800                 | 2.8                          |
| FWB-15/80-6/18-M                             | Fixed-Wire Multi-Stage  | 15-16.5-18            | 6                      | 80                  | 1800                 | 2.8                          |
| FWB-18/80-6/18-M                             | Fixed-Wire Multi-Stage  | 18-19-20              | 6                      | 80                  | 1800                 | 2.8                          |

| REF                                | Balloon Type                        | Balloon Diameter (mm) | Catheter Diameter (Fr) | Balloon Length (mm) | Catheter Length (mm) | Minimum Working Channel (mm)                                                          |
|------------------------------------|-------------------------------------|-----------------------|------------------------|---------------------|----------------------|---------------------------------------------------------------------------------------|
| Wire-Guided Multi-Stage - Biliary  |                                     |                       |                        |                     |                      |    |
| MBD-AS-BA-2                        | Wire-Guided Multi-Stage             | 6-7-8                 | 7                      | 30                  | 1800                 | 2.8                                                                                   |
| MBD-BS-BA-2                        | Wire-Guided Multi-Stage             | 8-9-10                | 7                      | 30                  | 1800                 | 2.8                                                                                   |
| MBD-CS-BA-2                        | Wire-Guided Multi-Stage             | 10-11-12              | 7                      | 30                  | 1800                 | 2.8                                                                                   |
| MBD-DS-BA-2                        | Wire-Guided Multi-Stage             | 12-13.5-15            | 7                      | 30                  | 1800                 | 2.8                                                                                   |
| Wire-Guided Multi-Stage - Colonic  |                                     |                       |                        |                     |                      |    |
| MBD-AM-BB-2                        | Wire-Guided Multi-Stage             | 6-7-8                 | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| MBD-BM-BB-2                        | Wire-Guided Multi-Stage             | 8-9-10                | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| MBD-CM-BB-2                        | Wire-Guided Multi-Stage             | 10-11-12              | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| MBD-DM-BB-2                        | Wire-Guided Multi-Stage             | 12-13.5-15            | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| MBD-EM-BB-2                        | Wire-Guided Multi-Stage             | 15-16.5-18            | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| MBD-FM-BB-2                        | Wire-Guided Multi-Stage             | 18-19-20              | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| Wire-Guided Single-Stage - Colonic |                                     |                       |                        |                     |                      |   |
| BDC-6/55-7/24-A                    | Wire-Guided Multi-Stage (Preloaded) | 6                     | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| BDC-8/55-7/24-A                    | Wire-Guided Multi-Stage (Preloaded) | 8                     | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| BDC-10/55-7/24-A                   | Wire-Guided Multi-Stage (Preloaded) | 10                    | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| BDC-12/55-7/24-A                   | Wire-Guided Multi-Stage (Preloaded) | 12                    | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| BDC-14/55-7/24-A                   | Wire-Guided Multi-Stage (Preloaded) | 14                    | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| BDC-16/55-7/24-A                   | Wire-Guided Multi-Stage (Preloaded) | 16                    | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| BDC-18/55-7/24-A                   | Wire-Guided Multi-Stage (Preloaded) | 18                    | 7                      | 55                  | 2400                 | 2.8                                                                                   |
| Achalasia                          |                                     |                       |                        |                     |                      |  |
| BDC-6/80-7/24-A                    | Wire-Guided Multi-Stage             | 25                    | 7                      | 80                  | 1000                 | N/A*                                                                                  |
| BDC-8/80-7/24-A                    | Wire-Guided Multi-Stage             | 30                    | 7                      | 80                  | 1000                 | N/A*                                                                                  |
| BDC-10/80-7/24-A                   | Wire-Guided Multi-Stage             | 35                    | 7                      | 80                  | 1000                 | N/A*                                                                                  |

\*Caution: Achalasia balloons do NOT fit into standard working channels.

| REF                                  | Balloon Type                        | Balloon Diameter (mm) | Catheter Diameter (Fr) | Balloon Length (mm) | Catheter Length (mm) | Minimum Working Channel (mm)                                                        |
|--------------------------------------|-------------------------------------|-----------------------|------------------------|---------------------|----------------------|-------------------------------------------------------------------------------------|
| Wire-Guided Single-Stage - Pulmonary |                                     |                       |                        |                     |                      |  |
| BDC-6/30-7/10-A                      | Wire-Guided Multi-Stage (Preloaded) | 6                     | 7                      | 30                  | 1000                 | 2.8                                                                                 |
| BDC-8/30-7/10-A                      | Wire-Guided Multi-Stage (Preloaded) | 8                     | 7                      | 30                  | 1000                 | 2.8                                                                                 |
| BDC-10/30-7/10-A                     | Wire-Guided Multi-Stage (Preloaded) | 10                    | 7                      | 30                  | 1000                 | 2.8                                                                                 |
| BDC-12/30-7/10-A                     | Wire-Guided Multi-Stage (Preloaded) | 12                    | 7                      | 30                  | 1000                 | 2.8                                                                                 |
| BDC-14/55-7/10-A                     | Wire-Guided Multi-Stage (Preloaded) | 14                    | 7                      | 55                  | 1000                 | 2.8                                                                                 |
| BDC-16/55-7/10-A                     | Wire-Guided Multi-Stage (Preloaded) | 16                    | 7                      | 55                  | 1000                 | 2.8                                                                                 |
| BDC-18/55-7/10-A                     | Wire-Guided Multi-Stage (Preloaded) | 18                    | 7                      | 55                  | 1000                 | 2.8                                                                                 |

# Disposable Balloon Inflation Device




| REF                                                                                                                       | Description                                         |
|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| Disposable Balloon Inflation Device  |                                                     |
| BID-15-60-01                                                                                                              | Micro-Tech Balloon Inflation Device 60 ml with lock |

Sterile Repositionable Hemostasis Clipping Device

LOCKADO™ Clip


Stronger hold, More comfort

The new LOCKADO™ Clip from MICRO-TECH is designed to control bleeding more efficiently than ever. This is achieved via ten teeth that operate as anchoring spikes to ensure optimal fixation on the tissue of the bleeding area. Users can imitate the clip's actual closure while being able to reopen it at will. So its repositionable and this ensures more precision and flexibility which in turn reduces the total operational time. We have also increased the compression pressure, which enables a significantly improved closing force. For maximum patient comfort, the clip segment projecting into the lumen was designed to be particularly short. This enables comfortable nutrition and minimizes the risk of injury to the opposing tract. MICRO-TECH offers the LOCKADO™ in different variations. For example you can choose between three clip widths (8, 11 and 16 mm) to cover all needs and possible applications.



Performance Characteristics

- Bleeding is better targeted and can be stopped quickly and specifically
- Ten teeth for ideal hold
- Clip arms with maximum contact pressure
- Unlimited repositioning possible prior to fixation
- High fixation due to better adaptation of tissue
- Increased the clips' compression pressure
- Short clip segment for greater patient comfort



Maximum span width of 16 mm

Specifications

| REF                                                                                                 | Clip Max.<br>Span Width<br>(mm) | Working Length<br>(mm) | Instrument Ø<br>(mm) | Grip color | Covering | Packaging |
|-----------------------------------------------------------------------------------------------------|---------------------------------|------------------------|----------------------|------------|----------|-----------|
| LOCKADO™ Clip  |                                 |                        |                      |            |          |           |
| LOCK-C-26-195-C                                                                                     | 8                               | 1950                   | 2.6                  | Pink       | Pink     | 10/Box    |
| LOCK-C-26-230-C                                                                                     | 8                               | 2300                   | 2.6                  | Pink       | Pink     | 10/Box    |
| LOCK-D-26-195-C                                                                                     | 11                              | 1950                   | 2.6                  | Blue       | Blue     | 10/Box    |
| LOCK-D-26-230-C                                                                                     | 11                              | 2300                   | 2.6                  | Blue       | Blue     | 10/Box    |
| LOCK-F-26-195-C                                                                                     | 16                              | 1950                   | 2.6                  | Yellow     | Yellow   | 10/Box    |
| LOCK-F-26-230-C                                                                                     | 16                              | 2300                   | 2.6                  | Yellow     | Yellow   | 10/Box    |

Sterile Repositionable Hemostasis Clipping Device

SureClip™

The innovative clipping system from MICRO-TECH combines precise positioning with a reliable holding force. This makes the system better for effective hemostasis as well as for endoscopic markings. The rotatable clip can be opened and closed multiple times, thus facilitating the exact repositioning of the clip. The clip can be used with any endoscopes equipped with working channels with a minimum diameter of 2.8 mm.

Performance Characteristics

- Rotatable design for precise placement
- Repeated opening and closing possible
- Excellent holding power
- Wide opening
- Smooth running under tortuous anatomy



Wide range of about 16 mm

Specifications

| REF             | Clip Max Span Width (mm) | Working Length (mm) | Instrument Ø (mm) | Grip color | Covering | Packaging |
|-----------------|--------------------------|---------------------|-------------------|------------|----------|-----------|
| SureClip™ mini  |                          |                     |                   |            |          |           |
| ROCC-C-26-165-C | 8                        | 1650                | 2.6               | Pink       | Pink     | 10/Box    |
| ROCC-C-26-195-C | 8                        | 1950                | 2.6               | Pink       | Pink     | 10/Box    |
| ROCC-C-26-230-C | 8                        | 2300                | 2.6               | Pink       | Pink     | 10/Box    |
| SureClip™       |                          |                     |                   |            |          |           |
| ROCC-D-26-165-C | 11                       | 1650                | 2.6               | Blue       | Blue     | 10/Box    |
| ROCC-D-26-195-C | 11                       | 1950                | 2.6               | Blue       | Blue     | 10/Box    |
| ROCC-D-26-230-C | 11                       | 2300                | 2.6               | Blue       | Blue     | 10/Box    |
| SureClip™plus   |                          |                     |                   |            |          |           |
| ROCC-F-26-165-C | 16                       | 1650                | 2.6               | Yellow     | Yellow   | 10/Box    |
| ROCC-F-26-195-C | 16                       | 1950                | 2.6               | Yellow     | Yellow   | 10/Box    |
| ROCC-F-26-230-C | 16                       | 2300                | 2.6               | Yellow     | Yellow   | 10/Box    |

Sterile Repositionable Hemostasis Clipping Device

Eco Clip

Single-Use Hemoclip Family

The innovative clipping system from MICRO-TECH, combines precise positioning with a reliable holding force. This makes the instrument suitable for effective hemostasis as well as for endoscopic markings. The clip can be opened and closed multiple times, thus facilitating exact repositioning. The device can be used with any endoscope equipped with a working channel of minimum 2.8mm diameter.



Specifications

| REF           | Clip Max Span Width (mm) | Working Length (mm) | Instrument Ø (mm) | Grip color | Covering | Packaging |
|---------------|--------------------------|---------------------|-------------------|------------|----------|-----------|
| Eco Clip      |                          |                     |                   |            |          |           |
| ROCC-D-26-165 | 11                       | 1650                | 2.6               | Blue       | Without  | 10/Box    |
| ROCC-D-26-195 | 11                       | 1950                | 2.6               | Blue       | Without  | 10/Box    |
| ROCC-D-26-230 | 11                       | 2300                | 2.6               | Blue       | Without  | 10/Box    |

## Notes and Future Product Updates



# ERCP With The New Short Wire System

## Easy, Safe, Efficient

With SHOW we present our new Short Wire System to round off our product range in ERCP. SHOW simplifies access and control during ERCP and gives both the assistant and the physician the ability to control the guide wire. Contamination risks are significantly reduced and personnel can be used more efficiently.



## Performance Characteristics

- Simple introduction of the guide wire by a physician or assistant
- Safe hygiene compliance due to lower risk of contamination
- Efficient treatment through time saving and personnel optimization

Our Short Wire System includes a range of solutions for the successful removal of stones in the bile duct. The newly developed wire locking device, facilitates insertion and allows two guide wires to be used in parallel. The papillotomes with a new splitting port ensure precise cannulation. Meanwhile, the stone extraction balloons can be safely advanced and precisely insufflated thanks to their atraumatic tip.

# Guidewire Locking Device

Optimal hold for up to two wires

The holder facilitates the use of short wire compatible instruments and fixes up to two guide wires in parallel. The double membrane of the valve reduces the escape of air and bile reflux. It is possible to change the instrument at any time with the Albarran lever open, which is particularly helpful if the Albarran does not hold the guide wire optimally.




## Specifications

| REF                             | Compatible Endoscope |
|---------------------------------|----------------------|
| <b>Guidewire Locking Device</b> |                      |
| MT-RGL-O                        | Olympus/ Fujinon     |
| MT-RGL-P                        | Pentax               |

# Sphincterotome / Short-Wire Compatible

For precise wire guidance and cannulation

Thanks to the novel opening mechanism of the guide wire port, the papillotome can be used for both short wire and long wire procedures. The C-shaped guide wire lumen allows a gentle splitting movement to separate the guide wire from the papillotome catheter. The adjustable tip ensures accurate cannulation and positioning of the cutting wire prior to papillotomy.



## Specifications

| REF                                           | Tip Length (mm) | Cutting Wire Length (mm) | Semi-Insulated Cut Wire | Guide Wire Length (m) | Cutting Wire Monofilament/ Multibraided | Tip shape | Working Channel Ø (mm) |
|-----------------------------------------------|-----------------|--------------------------|-------------------------|-----------------------|-----------------------------------------|-----------|------------------------|
| <b>Sphincterotome / Short-Wire Compatible</b> |                 |                          |                         |                       |                                         |           |                        |
| RDSP-0025-111                                 | 0               | 25                       | W/O                     | No                    | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0025-121                                 | 0               | 25                       | W/O                     | 2.6                   | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0025-131                                 | 0               | 25                       | W/O                     | 4.5                   | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0225-111                                 | 2               | 25                       | W/O                     | No                    | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0225-121                                 | 2               | 25                       | W/O                     | 2.6                   | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0225-131                                 | 2               | 25                       | W/O                     | 4.5                   | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0525-111                                 | 5               | 25                       | W/O                     | No                    | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0525-121                                 | 5               | 25                       | W/O                     | 2.6                   | Monofilament                            | Cone      | ≥ 3.2                  |
| RDSP-0525-131                                 | 5               | 25                       | W/O                     | 4.5                   | Monofilament                            | Cone      | ≥ 3.2                  |

# Retrieval Balloon / Short-Wire Compatible

One Balloon, Three Diameters

The stone extraction balloon is used for reliable endoscopic removal of stones in the bile duct and easy injection of contrast media. The stone extraction balloon is equipped with an atraumatic catheter tip for safe passage into the bile duct. Thanks to the three variable diameters of the balloon, it also meets specific clinical requirements.

Atraumatic catheter tip  
for safe feeding

Radiopaque markings  
improve visibility under x-ray

Reliable exit of the guide wire  
at the short wire port



3-lumen stone extraction balloon  
from MICRO-TECH.

## Specifications

| REF                                       | Injection | Lumens | Catheter Ø<br>(Fr) | Balloon Ø<br>(mm) | Working Length<br>(mm) |
|-------------------------------------------|-----------|--------|--------------------|-------------------|------------------------|
| Retrieval Balloon / Short-Wire Compatible |           |        |                    |                   |                        |
| RSRB-T-9/12/15-20                         | Above     | 3      | 7                  | 9 / 12 / 15       | 2000                   |
| RSRB-T-12/15/18-20                        | Above     | 3      | 7                  | 12 / 15 / 18      | 2000                   |
| RSRB-T-15/18/21-20                        | Above     | 3      | 7                  | 15 / 18 / 21      | 2000                   |
| RSRB-T-9/12/15-20-B                       | Below     | 3      | 7                  | 9 / 12 / 15       | 2000                   |
| RSRB-T-12/15/18-20-B                      | Below     | 3      | 7                  | 12 / 15 / 18      | 2000                   |
| RSRB-T-15/18/21-20-B                      | Below     | 3      | 7                  | 15 / 18 / 21      | 2000                   |

# Biliary Nitinol Stent Set / Short-Wire Compatible

For safe and easy stent release



## Performance Characteristics



- Compatible with our short wire guide wires
- Nitinol platinum Line for excellent visibility
- Safe application
- Easier release of the stent without the need for an irrigation port
- Cylindrical stentform

Specifications

| REF                                                                | Stent          |                      | Delivery System       |                     | Resheathable | Recommended Guidewire Inch                                                          |
|--------------------------------------------------------------------|----------------|----------------------|-----------------------|---------------------|--------------|-------------------------------------------------------------------------------------|
|                                                                    | Body O.D. (mm) | Expanded Length (mm) | Catheter O.D. (Fr/mm) | Working Length (mm) |              |                                                                                     |
| Biliary Nitinol Stent Set /Short-Wire Compatible Non-Covered       |                |                      |                       |                     |              |  |
| RST43-001-10.040                                                   | 10             | 40                   | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| RST43-001-10.060                                                   | 10             | 60                   | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| RST43-001-10.080                                                   | 10             | 80                   | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| RST43-001-10.100                                                   | 10             | 100                  | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| Biliary Nitinol Stent Set /Short-Wire Compatible Partially-Covered |                |                      |                       |                     |              |  |
| RST43-002-10.040                                                   | 10             | 40                   | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| RST43-002-10.060                                                   | 10             | 60                   | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| RST43-002-10.080                                                   | 10             | 80                   | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| RST43-002-10.100                                                   | 10             | 100                  | 8.5                   | 1900                | ✓            | 0.035"                                                                              |
| Biliary Nitinol Stent Set /Short-Wire Compatible Fully-Covered     |                |                      |                       |                     |              |  |
| RST43-004-10.040                                                   | 10             | 40                   | 8.5                   | 1900                | \            | 0.035"                                                                              |
| RST43-004-10.060                                                   | 10             | 60                   | 8.5                   | 1900                | \            | 0.035"                                                                              |
| RST43-004-10.080                                                   | 10             | 80                   | 8.5                   | 1900                | \            | 0.035"                                                                              |
| RST43-004-10.100                                                   | 10             | 100                  | 8.5                   | 1900                | \            | 0.035"                                                                              |


Sterile Sphincterotome

Long Wire System



Performance Characteristics

- Tapered tip
- Monofilament cutting wire




Specifications

| REF                                               | Lumen | Tip length<br>(mm)      | Cut Wire Length<br>(mm) | Working Length<br>(mm) | Recommended<br>Guidewire<br>(in) | Semi-Insulated<br>Cut Wire | Packaging |
|---------------------------------------------------|-------|-------------------------|-------------------------|------------------------|----------------------------------|----------------------------|-----------|
| Sphincterotome-Standard                           |       |                         |                         |                        |                                  |                            |           |
| DSP-30520-111111                                  | 3     | 5                       | 20                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30520-111211                                  | 3     | 5                       | 20                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30525-111111                                  | 3     | 5                       | 25                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30525-111211                                  | 3     | 5                       | 25                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30530-111111                                  | 3     | 5                       | 30                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30530-111211                                  | 3     | 5                       | 30                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30220-111111                                  | 3     | 2                       | 20                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30220-111211                                  | 3     | 2                       | 20                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30225-111111                                  | 3     | 2                       | 25                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30225-111211                                  | 3     | 2                       | 25                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30230-111111                                  | 3     | 2                       | 30                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30230-111211                                  | 3     | 2                       | 30                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30020-111111                                  | 3     | 0                       | 20                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30020-111211                                  | 3     | 0                       | 20                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30025-111111                                  | 3     | 0                       | 25                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30025-111211                                  | 3     | 0                       | 25                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30030-111111                                  | 3     | 0                       | 30                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30030-111211                                  | 3     | 0                       | 30                      | 2000                   | .035                             | W/                         | 2/Box     |
| Sphincterotome-Standard, Preloaded with Guidewire |       |                         |                         |                        |                                  |                            |           |
| DSP-30520-111121                                  | 3     | 5                       | 20                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30520-111221                                  | 3     | 5                       | 20                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30525-111121                                  | 3     | 5                       | 25                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30525-111221                                  | 3     | 5                       | 25                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30530-111121                                  | 3     | 5                       | 30                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30530-111221                                  | 3     | 5                       | 30                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30220-111121                                  | 3     | 2                       | 20                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30220-111221                                  | 3     | 2                       | 20                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30225-111121                                  | 3     | 2                       | 25                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30225-111221                                  | 3     | 2                       | 25                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30230-111121                                  | 3     | 2                       | 30                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30230-111221                                  | 3     | 2                       | 30                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30020-111121                                  | 3     | 0                       | 20                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30020-111221                                  | 3     | 0                       | 20                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30025-111121                                  | 3     | 0                       | 25                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30025-111221                                  | 3     | 0                       | 25                      | 2000                   | .035                             | W/                         | 2/Box     |
| DSP-30030-111121                                  | 3     | 0                       | 30                      | 2000                   | .035                             | W/O                        | 2/Box     |
| DSP-30030-111221                                  | 3     | 0                       | 30                      | 2000                   | .035                             | W/                         | 2/Box     |
| Sphincterotome-Needle Knife                       |       |                         |                         |                        |                                  |                            |           |
| REF                                               | Lumen | Cut Wire Length<br>(mm) |                         | Working Length<br>(mm) | Semi-Insulated<br>Cut Wire       |                            | Packaging |
| DSP-30505-121111                                  | 3     | 5                       |                         | 2000                   | W/O                              |                            | 2/Box     |
| DSP-30505-121211                                  | 3     | 5                       |                         | 2000                   | W/                               |                            | 2/Box     |
| DSP-30507-121111                                  | 3     | 7                       |                         | 2000                   | W/O                              |                            | 2/Box     |
| DSP-30507-121211                                  | 3     | 7                       |                         | 2000                   | W/                               |                            | 2/Box     |

Stone Extraction Basket

This product is used for endoscopic capture and extraction of biliary calculi.




Performance Characteristics

- Specially designed wire to ensure good shape retention

Specifications

| REF                     | Basket Type | Basket Diameter<br>(mm) | Basket Length<br>(mm) | Catheter O.D.<br>(Fr) | Working Length<br>(mm) | Channel Size Ø<br>(mm) | Packaging |
|-------------------------|-------------|-------------------------|-----------------------|-----------------------|------------------------|------------------------|-----------|
| Stone Extraction Basket |             |                         |                       |                       |                        |                        |           |
| SEB111/1570200-P        | Hexagonal   | 15                      | 40                    | 7                     | 2000                   | ≥2.8                   | 2/Box     |
| SEB111/2070200-P        | Hexagonal   | 20                      | 45                    | 7                     | 2000                   | ≥2.8                   | 2/Box     |
| SEB111/2570200-P        | Hexagonal   | 25                      | 50                    | 7                     | 2000                   | ≥2.8                   | 2/Box     |
| SEB111/3070200-P        | Hexagonal   | 30                      | 55                    | 7                     | 2000                   | ≥2.8                   | 2/Box     |
| SEB111/3570200-P        | Hexagonal   | 35                      | 60                    | 7                     | 2000                   | ≥2.8                   | 2/Box     |

# Sterile Biliary Stone Retrieval Balloon Catheter



## Performance Characteristics


- Inflated balloon presents cylindrical shape
- Tapered Tip

## Specifications

| REF                                              | Balloon Inflated O.D (mm) | Working Length (mm) | Recommended Guidewire (in) | Channel Size Ø (mm) | Injection | Packaging |
|--------------------------------------------------|---------------------------|---------------------|----------------------------|---------------------|-----------|-----------|
| Sterile Biliary Stone Retrieval Balloon Catheter |                           |                     |                            |                     |           |           |
| SRB-T-9/12/15-20                                 | 9-12-15                   | 2000                | .035                       | ≥2.8                | Above     | 1/Box     |
| SRB-T-12/15/18-20                                | 12-15-18                  | 2000                | .035                       | ≥2.8                | Above     | 1/Box     |
| SRB-T-15/18/21-20                                | 15-18-21                  | 2000                | .035                       | ≥2.8                | Above     | 1/Box     |
| SRB-T-9/12/15-20-B                               | 9-12-15                   | 2000                | .035                       | ≥2.8                | Below     | 1/Box     |
| SRB-T-12/15/18-20-B                              | 12-15-18                  | 2000                | .035                       | ≥2.8                | Below     | 1/Box     |
| SRB-T-15/18/21-20-B                              | 15-18-21                  | 2000                | .035                       | ≥2.8                | Below     | 1/Box     |


# Biliary Drainage Catheter Biliary Drainage Catheter Introducer System Biliary Drainage Catheter with Introducer System

This product is indicated for biliary drainage



## Performance Characteristics

- Simple delivery catheter design to allow ease of placement
- Radiopaque marker at the distal end of the delivery Catheter to enable accurate positioning
- Drainage catheter is made of radiopaque material, easily visible under fluoroscopy
- Wide range of sizes available




Specifications




| REF                       | Stent Shape    | Stent Diameter (Fr) | Stent Working Length (mm) | Packaging |
|---------------------------|----------------|---------------------|---------------------------|-----------|
| Biliary Drainage Catheter |                |                     |                           |           |
| BPDS-32114-0707           | Amsterdam Type | 7                   | 7                         | 10/Box    |
| BPDS-32114-0709           | Amsterdam Type | 7                   | 9                         | 10/Box    |
| BPDS-32114-0711           | Amsterdam Type | 7                   | 11                        | 10/Box    |
| BPDS-32114-0713           | Amsterdam Type | 7                   | 13                        | 10/Box    |
| BPDS-32114-0715           | Amsterdam Type | 7                   | 15                        | 10/Box    |
| BPDS-32114-0807           | Amsterdam Type | 8.5                 | 7                         | 10/Box    |
| BPDS-32114-0809           | Amsterdam Type | 8.5                 | 9                         | 10/Box    |
| BPDS-32114-0811           | Amsterdam Type | 8.5                 | 11                        | 10/Box    |
| BPDS-32114-0813           | Amsterdam Type | 8.5                 | 13                        | 10/Box    |
| BPDS-32114-0815           | Amsterdam Type | 8.5                 | 15                        | 10/Box    |
| BPDS-32114-1007           | Amsterdam Type | 10                  | 7                         | 10/Box    |
| BPDS-32114-1009           | Amsterdam Type | 10                  | 9                         | 10/Box    |
| BPDS-32114-1011           | Amsterdam Type | 10                  | 11                        | 10/Box    |
| BPDS-32114-1013           | Amsterdam Type | 10                  | 13                        | 10/Box    |
| BPDS-32114-1015           | Amsterdam Type | 10                  | 15                        | 10/Box    |
| BPDS-32114-1107           | Amsterdam Type | 11.5                | 7                         | 10/Box    |
| BPDS-32114-1109           | Amsterdam Type | 11.5                | 9                         | 10/Box    |
| BPDS-32114-1111           | Amsterdam Type | 11.5                | 11                        | 10/Box    |
| BPDS-32114-1113           | Amsterdam Type | 11.5                | 13                        | 10/Box    |
| BPDS-32114-1115           | Amsterdam Type | 11.5                | 15                        | 10/Box    |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)



| REF                       | Stent Shape | Stent Diameter (Fr) | Stent Working Length (cm) | Packaging |
|---------------------------|-------------|---------------------|---------------------------|-----------|
| Biliary Drainage Catheter |             |                     |                           |           |
| BPDS-31114-0707           | Straight    | 7                   | 7                         | 10/Box    |
| BPDS-31114-0709           | Straight    | 7                   | 9                         | 10/Box    |
| BPDS-31114-0711           | Straight    | 7                   | 11                        | 10/Box    |
| BPDS-31114-0713           | Straight    | 7                   | 13                        | 10/Box    |
| BPDS-31114-0715           | Straight    | 7                   | 15                        | 10/Box    |
| BPDS-31114-0807           | Straight    | 8.5                 | 7                         | 10/Box    |
| BPDS-31114-0809           | Straight    | 8.5                 | 9                         | 10/Box    |
| BPDS-31114-0811           | Straight    | 8.5                 | 11                        | 10/Box    |
| BPDS-31114-0813           | Straight    | 8.5                 | 13                        | 10/Box    |
| BPDS-31114-0815           | Straight    | 8.5                 | 15                        | 10/Box    |
| BPDS-31114-1007           | Straight    | 10                  | 7                         | 10/Box    |
| BPDS-31114-1009           | Straight    | 10                  | 9                         | 10/Box    |
| BPDS-31114-1011           | Straight    | 10                  | 11                        | 10/Box    |
| BPDS-31114-1013           | Straight    | 10                  | 13                        | 10/Box    |
| BPDS-31114-1015           | Straight    | 10                  | 15                        | 10/Box    |
| BPDS-31114-1107           | Straight    | 11.5                | 7                         | 10/Box    |
| BPDS-31114-1109           | Straight    | 11.5                | 9                         | 10/Box    |
| BPDS-31114-1111           | Straight    | 11.5                | 11                        | 10/Box    |
| BPDS-31114-1113           | Straight    | 11.5                | 13                        | 10/Box    |
| BPDS-31114-1115           | Straight    | 11.5                | 15                        | 10/Box    |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)



| REF                                         | Stent Diameter (Fr) | Introducer Working Length (cm) | Compatible Stent Lenght (mm) | Channel Size Ø (mm) | Compatible Guidewire (in) | Packaging |
|---------------------------------------------|---------------------|--------------------------------|------------------------------|---------------------|---------------------------|-----------|
| Biliary Drainage Catheter Introducer System |                     |                                |                              |                     |                           |           |
| BPDI-0718/22                                | 7                   | 220                            | <180                         | ≥2.8                | .035                      | 2/Box     |
| BPDI-0818/22                                | 8.5                 | 220                            | <180                         | ≥2.8                | .035                      | 2/Box     |
| BPDI-1018/22                                | 10                  | 220                            | <180                         | ≥2.8                | .035                      | 2/Box     |
| BPDI-1118/22                                | 11.5                | 220                            | <180                         | ≥2.8                | .035                      | 2/Box     |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)



| REF                                              | Stent Shape    | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging |
|--------------------------------------------------|----------------|---------------------|---------------------------|----------------------------|-----------|
| Biliary Drainage Catheter with Introducer System |                |                     |                           |                            |           |
| BPDS-32114-0707/22                               | Amsterdam Type | 7                   | 7                         | .035                       | 1/Box     |
| BPDS-32114-0709/22                               | Amsterdam Type | 7                   | 9                         | .035                       | 1/Box     |
| BPDS-32114-0711/22                               | Amsterdam Type | 7                   | 11                        | .035                       | 1/Box     |
| BPDS-32114-0713/22                               | Amsterdam Type | 7                   | 13                        | .035                       | 1/Box     |
| BPDS-32114-0715/22                               | Amsterdam Type | 7                   | 15                        | .035                       | 1/Box     |
| BPDS-32114-0807/22                               | Amsterdam Type | 8.5                 | 7                         | .035                       | 1/Box     |
| BPDS-32114-0809/22                               | Amsterdam Type | 8.5                 | 9                         | .035                       | 1/Box     |
| BPDS-32114-0811/22                               | Amsterdam Type | 8.5                 | 11                        | .035                       | 1/Box     |
| BPDS-32114-0813/22                               | Amsterdam Type | 8.5                 | 13                        | .035                       | 1/Box     |
| BPDS-32114-0815/22                               | Amsterdam Type | 8.5                 | 15                        | .035                       | 1/Box     |
| BPDS-32114-1007/22                               | Amsterdam Type | 10                  | 7                         | .035                       | 1/Box     |
| BPDS-32114-1009/22                               | Amsterdam Type | 10                  | 9                         | .035                       | 1/Box     |
| BPDS-32114-1011/22                               | Amsterdam Type | 10                  | 11                        | .035                       | 1/Box     |
| BPDS-32114-1013/22                               | Amsterdam Type | 10                  | 13                        | .035                       | 1/Box     |
| BPDS-32114-1015/22                               | Amsterdam Type | 10                  | 15                        | .035                       | 1/Box     |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)




| REF                                              | Stent Shape   | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging |
|--------------------------------------------------|---------------|---------------------|---------------------------|----------------------------|-----------|
| Biliary Drainage Catheter with Introducer System |               |                     |                           |                            |           |
| BPDS-33114-0707/22                               | Duodenal Bend | 7                   | 7                         | .035                       | 1/Box     |
| BPDS-33114-0709/22                               | Duodenal Bend | 7                   | 9                         | .035                       | 1/Box     |
| BPDS-33114-0711/22                               | Duodenal Bend | 7                   | 11                        | .035                       | 1/Box     |
| BPDS-33114-0713/22                               | Duodenal Bend | 7                   | 13                        | .035                       | 1/Box     |
| BPDS-33114-0715/22                               | Duodenal Bend | 7                   | 15                        | .035                       | 1/Box     |
| BPDS-33114-0807/22                               | Duodenal Bend | 8.5                 | 7                         | .035                       | 1/Box     |
| BPDS-33114-0809/22                               | Duodenal Bend | 8.5                 | 9                         | .035                       | 1/Box     |
| BPDS-33114-0811/22                               | Duodenal Bend | 8.5                 | 11                        | .035                       | 1/Box     |
| BPDS-33114-0813/22                               | Duodenal Bend | 8.5                 | 13                        | .035                       | 1/Box     |
| BPDS-33114-0815/22                               | Duodenal Bend | 8.5                 | 15                        | .035                       | 1/Box     |
| BPDS-33114-1007/22                               | Duodenal Bend | 10                  | 7                         | .035                       | 1/Box     |
| BPDS-33114-1009/22                               | Duodenal Bend | 10                  | 9                         | .035                       | 1/Box     |
| BPDS-33114-1011/22                               | Duodenal Bend | 10                  | 11                        | .035                       | 1/Box     |
| BPDS-33114-1013/22                               | Duodenal Bend | 10                  | 13                        | .035                       | 1/Box     |
| BPDS-33114-1015/22                               | Duodenal Bend | 10                  | 15                        | .035                       | 1/Box     |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)



| REF                                              | Stent Shape | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging |
|--------------------------------------------------|-------------|---------------------|---------------------------|----------------------------|-----------|
| Biliary Drainage Catheter with Introducer System |             |                     |                           |                            |           |
| BPDS-31114-0707/22                               | Straight    | 7                   | 7                         | .035                       | 1/Box     |
| BPDS-31114-0709/22                               | Straight    | 7                   | 9                         | .035                       | 1/Box     |
| BPDS-31114-0711/22                               | Straight    | 7                   | 11                        | .035                       | 1/Box     |
| BPDS-31114-0713/22                               | Straight    | 7                   | 13                        | .035                       | 1/Box     |
| BPDS-31114-0715/22                               | Straight    | 7                   | 15                        | .035                       | 1/Box     |
| BPDS-31114-0807/22                               | Straight    | 8.5                 | 7                         | .035                       | 1/Box     |
| BPDS-31114-0809/22                               | Straight    | 8.5                 | 9                         | .035                       | 1/Box     |
| BPDS-31114-0811/22                               | Straight    | 8.5                 | 11                        | .035                       | 1/Box     |
| BPDS-31114-0813/22                               | Straight    | 8.5                 | 13                        | .035                       | 1/Box     |
| BPDS-31114-0815/22                               | Straight    | 8.5                 | 15                        | .035                       | 1/Box     |
| BPDS-31114-1007/22                               | Straight    | 10                  | 7                         | .035                       | 1/Box     |
| BPDS-31114-1009/22                               | Straight    | 10                  | 9                         | .035                       | 1/Box     |
| BPDS-31114-1011/22                               | Straight    | 10                  | 11                        | .035                       | 1/Box     |
| BPDS-31114-1013/22                               | Straight    | 10                  | 13                        | .035                       | 1/Box     |
| BPDS-31114-1015/22                               | Straight    | 10                  | 15                        | .035                       | 1/Box     |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)




| REF                                              | Stent Shape | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging                                                                           |
|--------------------------------------------------|-------------|---------------------|---------------------------|----------------------------|-------------------------------------------------------------------------------------|
| Biliary Drainage Catheter with Introducer System |             |                     |                           |                            |  |
| BPDS-34114-0707/22                               | Center Bend | 7                   | 7                         | .035                       | 1/Box                                                                               |
| BPDS-34114-0709/22                               | Center Bend | 7                   | 9                         | .035                       | 1/Box                                                                               |
| BPDS-34114-0711/22                               | Center Bend | 7                   | 11                        | .035                       | 1/Box                                                                               |
| BPDS-34114-0713/22                               | Center Bend | 7                   | 13                        | .035                       | 1/Box                                                                               |
| BPDS-34114-0715/22                               | Center Bend | 7                   | 15                        | .035                       | 1/Box                                                                               |
| BPDS-34114-0807/22                               | Center Bend | 8.5                 | 7                         | .035                       | 1/Box                                                                               |
| BPDS-34114-0809/22                               | Center Bend | 8.5                 | 9                         | .035                       | 1/Box                                                                               |
| BPDS-34114-0811/22                               | Center Bend | 8.5                 | 11                        | .035                       | 1/Box                                                                               |
| BPDS-34114-0813/22                               | Center Bend | 8.5                 | 13                        | .035                       | 1/Box                                                                               |
| BPDS-34114-0815/22                               | Center Bend | 8.5                 | 15                        | .035                       | 1/Box                                                                               |
| BPDS-34114-1007/22                               | Center Bend | 10                  | 7                         | .035                       | 1/Box                                                                               |
| BPDS-34114-1009/22                               | Center Bend | 10                  | 9                         | .035                       | 1/Box                                                                               |
| BPDS-34114-1011/22                               | Center Bend | 10                  | 11                        | .035                       | 1/Box                                                                               |
| BPDS-34114-1013/22                               | Center Bend | 10                  | 13                        | .035                       | 1/Box                                                                               |
| BPDS-34114-1015/22                               | Center Bend | 10                  | 15                        | .035                       | 1/Box                                                                               |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)



| REF                                              | Stent Shape    | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging                                                                           |
|--------------------------------------------------|----------------|---------------------|---------------------------|----------------------------|-------------------------------------------------------------------------------------|
| Biliary Drainage Catheter with Introducer System |                |                     |                           |                            |  |
| BPDS-31916-0705/22                               | Single Pigtail | 7                   | 5                         | .035                       | 2/Box                                                                               |
| BPDS-31916-0706/22                               | Single Pigtail | 7                   | 6                         | .035                       | 2/Box                                                                               |
| BPDS-31916-0707/22                               | Single Pigtail | 7                   | 7                         | .035                       | 2/Box                                                                               |
| BPDS-31916-0708/22                               | Single Pigtail | 7                   | 8                         | .035                       | 2/Box                                                                               |
| BPDS-31916-0709/22                               | Single Pigtail | 7                   | 9                         | .035                       | 2/Box                                                                               |
| BPDS-31916-0710/22                               | Single Pigtail | 7                   | 10                        | .035                       | 2/Box                                                                               |
| BPDS-31916-0711/22                               | Single Pigtail | 7                   | 11                        | .035                       | 2/Box                                                                               |
| BPDS-31916-0712/22                               | Single Pigtail | 7                   | 12                        | .035                       | 2/Box                                                                               |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)



| REF                                              | Stent Shape | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging                                                                           |
|--------------------------------------------------|-------------|---------------------|---------------------------|----------------------------|-------------------------------------------------------------------------------------|
| Biliary Drainage Catheter with Introducer System |             |                     |                           |                            |  |
| BPDS-13442-0807/22                               | Tannenbaum  | 8.5                 | 7                         | .035                       | 1/Box                                                                               |
| BPDS-13442-0809/22                               | Tannenbaum  | 8.5                 | 9                         | .035                       | 1/Box                                                                               |
| BPDS-13442-0811/22                               | Tannenbaum  | 8.5                 | 11                        | .035                       | 1/Box                                                                               |
| BPDS-13442-0813/22                               | Tannenbaum  | 8.5                 | 13                        | .035                       | 1/Box                                                                               |
| BPDS-13442-0815/22                               | Tannenbaum  | 8.5                 | 15                        | .035                       | 1/Box                                                                               |
| BPDS-13442-1007/22                               | Tannenbaum  | 10                  | 7                         | .035                       | 1/Box                                                                               |
| BPDS-13442-1009/22                               | Tannenbaum  | 10                  | 9                         | .035                       | 1/Box                                                                               |
| BPDS-13442-1011/22                               | Tannenbaum  | 10                  | 11                        | .035                       | 1/Box                                                                               |
| BPDS-13442-1013/22                               | Tannenbaum  | 10                  | 13                        | .035                       | 1/Box                                                                               |
| BPDS-13442-1015/22                               | Tannenbaum  | 10                  | 15                        | .035                       | 1/Box                                                                               |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)




| REF                                              | Stent Shape    | Stent Diameter (Fr) | Stent Working Length (cm) | Recommended Guidewire (in) | Packaging                                                                           |
|--------------------------------------------------|----------------|---------------------|---------------------------|----------------------------|-------------------------------------------------------------------------------------|
| Biliary Drainage Catheter with Introducer System |                |                     |                           |                            |  |
| BPDS-31993-0705/22                               | Double Pigtail | 7                   | 5                         | .035                       | 1/Box                                                                               |
| BPDS-31993-0707/22                               | Double Pigtail | 7                   | 7                         | .035                       | 1/Box                                                                               |
| BPDS-31993-0709/22                               | Double Pigtail | 7                   | 9                         | .035                       | 1/Box                                                                               |
| BPDS-31993-0711/22                               | Double Pigtail | 7                   | 11                        | .035                       | 1/Box                                                                               |
| BPDS-31993-0805/22                               | Double Pigtail | 8.5                 | 5                         | .035                       | 1/Box                                                                               |
| BPDS-31993-0807/22                               | Double Pigtail | 8.5                 | 7                         | .035                       | 1/Box                                                                               |
| BPDS-31993-0809/22                               | Double Pigtail | 8.5                 | 9                         | .035                       | 1/Box                                                                               |
| BPDS-31993-0811/22                               | Double Pigtail | 8.5                 | 11                        | .035                       | 1/Box                                                                               |
| BPDS-31993-1005/22                               | Double Pigtail | 10                  | 5                         | .035                       | 1/Box                                                                               |
| BPDS-31993-1007/22                               | Double Pigtail | 10                  | 7                         | .035                       | 1/Box                                                                               |
| BPDS-31993-1009/22                               | Double Pigtail | 10                  | 9                         | .035                       | 1/Box                                                                               |
| BPDS-31993-1011/22                               | Double Pigtail | 10                  | 11                        | .035                       | 1/Box                                                                               |

For more specifications information, please contact your Micro-Tech Sales Representative or [sales@micro-tech.com.cn](mailto:sales@micro-tech.com.cn)

# Non Vascular Sterile Hydro Slide Guidewire

The Non Vascular Sterile Hydro Slide Guidewire is mainly used with endoscope, imports or guides other equipments into a predetermined position of non vascular natural orifice such as biliary duct, pancreatic duct and so on, and plays a supporting or guiding role. All guide wires are manufactured out of Nitinol with good shape memory physical and mechanical properties. Owing to their hydrophilic tips, the wires safely find their way even into areas and stenosis which are hard to reach. This is supported by the wire's high rigidity and controllability.



## Performance Characteristics

- The core is made of super elastic alloy to prevent kinking
- The atraumatic distal tip is made of soft polymeric material with hydrophilic coating to facilitate ease of cannulation

## Specifications

| REF                                        | Maximum O.D.<br>(in) | Working Length<br>(mm) | Tip Style | Packaging |
|--------------------------------------------|----------------------|------------------------|-----------|-----------|
| Non Vascular Sterile Hydro Slide Guidewire |                      |                        |           |           |
| MTN-BM-89/26-A                             | .035                 | 2600                   | Straight  | 2/Box     |
| MTN-BM-89/26-A-J                           | .035                 | 2600                   | Angle     | 2/Box     |
| MTN-BM-89/45-A                             | .035                 | 4500                   | Straight  | 2/Box     |
| MTN-BM-89/45-A-J                           | .035                 | 4500                   | Angle     | 2/Box     |
| MTN-BM-63/26-A                             | .025                 | 2600                   | Straight  | 2/Box     |
| MTN-BM-63/26-A-J                           | .025                 | 2600                   | Angle     | 2/Box     |
| MTN-BM-63/45-A                             | .025                 | 4500                   | Straight  | 2/Box     |
| MTN-BM-63/45-A-J                           | .025                 | 4500                   | Angle     | 2/Box     |
| MTN-BM-53/45-A                             | .021                 | 4500                   | Straight  | 2/Box     |
| MTN-BM-45/45-A                             | .018                 | 4500                   | Straight  | 2/Box     |

Single Use Electrosurgical Knife

ESD Knife



- I-type: Versatile application
- T-type: Marking/dissection and less likely to slip
- O-type: Spherical tip maximizes coagulation effect

This product provides for marking, elevation, incision/dissection and coagulation in a single instrument.

Performance Characteristics

- Integrated electrosurgical and waterjet functions, eliminating the need for instrument change and saving valuable procedure time
- High-pressure waterjet creates submucosal water cushion to prevent thermal and mechanical injury during resection, ensuring maximum safety
- Three types of electrosurgical tip available for various clinical applications

Specifications


| REF        | Shape of the Cutting Knife | Cutting Knife Length (mm) | Working Length (mm) | Channel Size Ø (mm) |
|------------|----------------------------|---------------------------|---------------------|---------------------|
| ESD Knife  |                            |                           |                     |                     |
| MK-T-1-195 | T                          | 1.5                       | 1950                | ≥2.8                |
| MK-T-2-195 | T                          | 2                         | 1950                | ≥2.8                |
| MK-T-4-195 | T                          | 4                         | 1950                | ≥2.8                |
| MK-I-1-195 | I                          | 1.5                       | 1950                | ≥2.8                |
| MK-I-2-195 | I                          | 2                         | 1950                | ≥2.8                |
| MK-I-4-195 | I                          | 4                         | 1950                | ≥2.8                |
| MK-O-1-195 | O                          | 1.5                       | 1950                | ≥2.8                |
| MK-O-2-195 | O                          | 2                         | 1950                | ≥2.8                |
| MK-O-4-195 | O                          | 4                         | 1950                | ≥2.8                |

1650mm and 2350mm working lengths optional

Sterile Hot Snare

In order to make the removal of polyps in everyday hospital routine as efficient as possible, MICRO-TECH has developed a new program of Sterile Hot Snare which perfectly combines quality with cost effectiveness.

Each snare is made of specially stranded wire, which convinces by its good radial force, high dimensional stability and precise cutting properties. The 3-ring-handle gives you a secure hold and transmits every movement reliably to the snare.



Performance Characteristics

- Very comfortable to use
- Reliable and safe
- Innovative power connection
- Ergonomic 3-ring handle
- Excellent cutting characteristics
- High strength of shape




3-ring handle with power connection

Easy and safe operation

The special stranded wire of DailySnare endows the snare with the radial force it needs to open and be controlled in any position, easily and reliably.

DailySnare has proved its worth as a reliable solution in daily routine work owing to its enormous dimensional stability and good cutting properties.




Specifications

| REF                       | Snare Shape   | Snare Diameter (mm) | Sheath O.D. (mm) | Channel Size Ø (mm) | Working Length (mm) | Packaging |
|---------------------------|---------------|---------------------|------------------|---------------------|---------------------|-----------|
| Sterile Hot Snare - Stiff |               |                     |                  |                     |                     |           |
| PFS01-01023230            | Oval          | 10                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-01523230            | Oval          | 15                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-02023230            | Oval          | 20                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-02423230            | Oval          | 24                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-03023230            | Oval          | 30                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-03623230            | Oval          | 36                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-11523230            | Hexagonal     | 15                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-12423230            | Hexagonal     | 24                  | 2.3              | ≥2.8                | 2300                | 10/Box    |
| PFS01-33023230            | Combinational | 30                  | 2.3              | ≥2.8                | 2300                | 10/Box    |

Sterile Hot Snare - Flexible

|                |      |    |     |      |      |        |
|----------------|------|----|-----|------|------|--------|
|                |      |    |     |      |      |        |
| PFS02-01023230 | Oval | 10 | 2.3 | ≥2.8 | 2300 | 10/Box |
| PFS02-01523230 | Oval | 15 | 2.3 | ≥2.8 | 2300 | 10/Box |
| PFS02-02023230 | Oval | 20 | 2.3 | ≥2.8 | 2300 | 10/Box |
| PFS02-02423230 | Oval | 24 | 2.3 | ≥2.8 | 2300 | 10/Box |
| PFS02-03023230 | Oval | 30 | 2.3 | ≥2.8 | 2300 | 10/Box |

Sterile Cold Snare  
Diamond Cut™



Performance Characteristics


- Designed for thin dimension loop wires allowing for a clean guillotine cut
- Two loop sizes available. Innovative power connection

Specifications

| REF          | Snare Shape | Snare Diameter (mm) | Sheath O.D. (Fr) | Channel Size Ø (mm) | Working Length (mm) | Packaging |
|--------------|-------------|---------------------|------------------|---------------------|---------------------|-----------|
| Diamond Cut™ |             |                     |                  |                     |                     |           |
| CS3-11023230 | Diamond     | 10                  | 7                | ≥2.8                | 2300                | 10/Box    |
| CS3-11523230 | Diamond     | 15                  | 7                | ≥2.8                | 2300                | 10/Box    |

# Injection Needle

Indications for endoscopy to introduce a sclerosing agent or vasoconstrictor into selected sites to control actual or potential bleeding lesions in the digestive system; and the injection of saline to aid in Endoscopic Mucosal Resection (EMR), polypectomy procedures and to control non-variceal hemorrhage.



## Performance Characteristics

- Lock to ensure that it would not accidentally extend during insertion to damage the scope and to have a stable needle penetration
- Needle release button design, gently press the button to return the needle fully into the sheath for protecting the endoscope from any damage
- Ergonomic handle design: complete needle insertion and withdrawal with one hand



## Specifications

| REF              | Needle Gauge | Maximum Needle Extension Length (mm) | Sheath O.D. (Fr) | Working Length (mm) | Packaging                                                                           |
|------------------|--------------|--------------------------------------|------------------|---------------------|-------------------------------------------------------------------------------------|
| Injection Needle |              |                                      |                  |                     |  |
| IN12-194231802   | 19G          | 4                                    | 7                | 1800                | 10/Box                                                                              |
| IN12-194231802   | 19G          | 5                                    | 7                | 1800                | 10/Box                                                                              |
| IN12-194231802   | 19G          | 6                                    | 7                | 1800                | 10/Box                                                                              |
| IN12-194232302   | 19G          | 4                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-195232302   | 19G          | 5                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-196232302   | 19G          | 6                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-224232302   | 22G          | 4                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-225232302   | 22G          | 5                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-226232302   | 22G          | 6                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-254232302   | 25G          | 4                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-255232302   | 25G          | 5                                    | 7                | 2300                | 10/Box                                                                              |
| IN12-256232302   | 25G          | 6                                    | 7                | 2300                | 10/Box                                                                              |
| IN02-224231802   | 22G          | 4                                    | 7                | 1800                | 10/Box                                                                              |
| IN02-224232002   | 22G          | 4                                    | 7                | 2000                | 10/Box                                                                              |
| IN02-224232302   | 22G          | 4                                    | 7                | 2300                | 10/Box                                                                              |
| IN02-225231802   | 22G          | 5                                    | 7                | 1800                | 10/Box                                                                              |
| IN02-225232002   | 22G          | 5                                    | 7                | 2000                | 10/Box                                                                              |
| IN02-225232302   | 22G          | 5                                    | 7                | 2300                | 10/Box                                                                              |
| IN02-226231802   | 22G          | 6                                    | 7                | 1800                | 10/Box                                                                              |
| IN02-226232002   | 22G          | 6                                    | 7                | 2000                | 10/Box                                                                              |
| IN02-226232302   | 22G          | 6                                    | 7                | 2300                | 10/Box                                                                              |
| IN02-254231802   | 25G          | 4                                    | 7                | 1800                | 10/Box                                                                              |
| IN02-254232002   | 25G          | 4                                    | 7                | 2000                | 10/Box                                                                              |
| IN02-254232302   | 25G          | 4                                    | 7                | 2300                | 10/Box                                                                              |
| IN02-255231802   | 25G          | 5                                    | 7                | 1800                | 10/Box                                                                              |
| IN02-255232002   | 25G          | 5                                    | 7                | 2000                | 10/Box                                                                              |
| IN02-255232302   | 25G          | 5                                    | 7                | 2300                | 10/Box                                                                              |
| IN02-256231802   | 25G          | 6                                    | 7                | 1800                | 10/Box                                                                              |
| IN02-256232002   | 25G          | 6                                    | 7                | 2000                | 10/Box                                                                              |
| IN02-256232302   | 25G          | 6                                    | 7                | 2300                | 10/Box                                                                              |

Grasping Forceps

Grasping Forceps are used for endoscopic taking out foreign bodies from the human body.




Performance Characteristics

- Adequate forceps opening width, available to take out large size foreign bodies
- Ergonomic handle design with the opening/closing operation of the forceps cups by only one hand

Specifications

| REF                              | Jaw Diameter (mm) | Channel Size Ø (mm) | Opening Width (mm) | Jaw Style | Working Length (mm) | Packaging |
|----------------------------------|-------------------|---------------------|--------------------|-----------|---------------------|-----------|
| Grasping Forceps – Ø2.3 UNCOATED |                   |                     |                    |           |                     | 📦         |
| NGF01-11023180                   | 2.3               | ≥2.8                | 6.3                | Rat Tooth | 1800                | 10/Box    |
| NGF01-11023230                   | 2.3               | ≥2.8                | 6.3                | Rat Tooth | 2300                | 10/Box    |
| NGF11-11023180                   | 2.3               | ≥2.8                | 8.1                | Alligator | 1800                | 10/Box    |
| NGF11-11023230                   | 2.3               | ≥2.8                | 8.1                | Alligator | 2300                | 10/Box    |
| Grasping Forceps – Ø2.3 COATED   |                   |                     |                    |           |                     | 📦         |
| NGF03-11023180                   | 2.3               | ≥2.8                | 6.3                | Rat Tooth | 1800                | 10/Box    |
| NGF03-11023230                   | 2.3               | ≥2.8                | 6.3                | Rat Tooth | 2300                | 10/Box    |
| NGF13-11023180                   | 2.3               | ≥2.8                | 8.1                | Alligator | 1800                | 10/Box    |
| NGF13-11023230                   | 2.3               | ≥2.8                | 8.1                | Alligator | 2300                | 10/Box    |
| NGF33-11023180                   | 2.3               | ≥2.8                | 8.1                | Griffin   | 1800                | 10/Box    |
| NGF33-11023230                   | 2.3               | ≥2.8                | 8.1                | Griffin   | 2300                | 10/Box    |
| Grasping Forceps – Ø1.8 COATED   |                   |                     |                    |           |                     | 📦         |
| NGF33-11018120                   | 1.8               | ≥2.0                | 8.1                | Griffin   | 1200                | 10/Box    |
| NGF33-11018180                   | 1.8               | ≥2.0                | 8.1                | Griffin   | 1800                | 10/Box    |

Retrieve Net



Performance Characteristics

- Designed for polyp and foreign body retrieval, support a variety of retrieval needs
- Secure large and small foreign bodies and preserve tissue specimens
- Engineered with a strong, reinforced net for extra security
- Unique net design to maintain shape and open to capacity across multiple passes


Specifications

| REF          | Diameter of Snare (mm) | Working Length (mm) | Shape of Snare | Working Channel (mm) |
|--------------|------------------------|---------------------|----------------|----------------------|
| Retrieve Net |                        |                     |                | 📦                    |
| NT-E-30/23-p | 30                     | 2300                | Oval           | 2.8                  |
| NT-E-30/16-p | 30                     | 1600                | Oval           | 2.8                  |

Endoscopic Ultrasound Aspiration Needle

# Trident™ EUS-FNB Needle

For histological tissue structures



Performance Characteristics

- Designed for cases when FNA is non-diagnostic or inadequate and tissue architecture is needed
- Co-Cr alloy needle utilized for enhanced needle flexibility, durability and target accessibility
- Unique Trident™ multi-blade three-prong tip facilitates histological quality tissue sampling
- Innovative one-button adjusters for needle depth and sheath length provide easy and precise one-hand control
- V-notch laser etched markings for enhanced needle echogenicity under ultrasound
- Smooth sheath ensures pushability in angulated EUS endoscope as well as protection for the working channel
- Compatible with the full range of EUS endoscopes



Handle FNB Trident™ with red locking devices, FNA needles with blue locking devices.

Specifications

| REF                                          | Needle Ø (Gauge) | Sheath Ø (mm) | Maximum Needle Length (mm) | Needle Type | Channel Size Ø (mm) | Working Length (mm) |
|----------------------------------------------|------------------|---------------|----------------------------|-------------|---------------------|---------------------|
| Trident™ EUS-FNB Needle (Laser beam Treated) |                  |               |                            |             |                     |                     |
| EUS -25-1-N                                  | 25               | 1.8           | 80                         | Co-Cr Alloy | ≥2.8                | 1375~1415           |
| EUS -22-1-N                                  | 22               | 1.8           | 80                         | Co-Cr Alloy | ≥2.8                | 1375~1415           |
| EUS -19-1-N                                  | 19               | 1.8           | 80                         | Co-Cr Alloy | ≥2.8                | 1375~1415           |

Endoscopic Ultrasound Aspiration Needle

# EUS-FNA Premium Needle

For diagnostic and therapeutic interventions

Performance Characteristics

- Co-Cr alloy needle utilized for enhanced needle flexibility, durability, and target accessibility, designed for diagnostic and therapeutic intervention at challenging anatomies.
- V-notch laser etched markings for enhanced needle echogenicity under ultrasound.
- Innovative one-button adjusters for needle depth and sheath length provide easy and precise one-hand control.
- Smooth sheath ensures pushability in angulated EUS endoscope as well as protection for the working channel.
- Compatible with the full range of EUS endoscopes.



Specifications

| REF                                         | Needle Ø (Gauge) | Sheath Ø (mm) | Maximum Needle Length (mm) | Needle Type | Channel Size Ø (mm) | Working Length (mm) |
|---------------------------------------------|------------------|---------------|----------------------------|-------------|---------------------|---------------------|
| EUS-FNA Premium Needle (Laser beam Treated) |                  |               |                            |             |                     |                     |
| EUS-25-0-N                                  | 25               | 1.8           | 80                         | Co-Cr Alloy | ≥2.8                | 1375~1415           |
| EUS-22-0-N                                  | 22               | 1.8           | 80                         | Co-Cr Alloy | ≥2.8                | 1375~1415           |
| EUS-19-0-N                                  | 19               | 1.8           | 80                         | Co-Cr Alloy | ≥2.8                | 1375~1415           |

Single-Use Biopsy Forceps

# TruBite™ Biopsy Forceps

The wide choice of Single-Use Biopsy Forceps ensures that you are perfectly equipped for every application. MICRO-TECH offers forceps with diameters of 1.8 to 3.0 mm in addition to lengths of 120, 180 and 230 cm. Regardless of whether they are tapered, with or without a spike, coated or uncoated and with standard or alligator – all models are characterised by their high reliability. The excellent cutting edge of the biopsy forceps allows you to take diagnostically conclusive tissue samples in a safe, easy manner.

Performance Characteristics

- Reliability
- Very comfortable to use
- Diagnostically conclusive biopsies
- Wide product variety
- 4 linkage jaw design with a single pulling wire for enhanced cutting performance
- Working channel-friendly design



Rapid identification

- Jaw section protective cap:
- Red – with needie
  - Yellow – without needie



Alligator



Rivet-hinge design

Coating:

- Grey – Ø1.8mm / Ø2.3mm , 180 cm long
- Yellow – Ø1.8mm , 160cm , 180cm long
- Orange – Ø2.3mm / Ø2.4mm / Ø3.0mm , 180cm long
- Blue – Ø2.3mm / Ø2.4mm / Ø3.0mm , 230cm long

Specifications

| REF                                    | Jaw Style | Jaw Diameter (mm) | Needle | Channel Size Ø (mm) | Working Length (mm) | Packaging                                                                           |
|----------------------------------------|-----------|-------------------|--------|---------------------|---------------------|-------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps – Ø 1.8 COATED |           |                   |        |                     |                     |  |
| NBF03-11018120                         | Oval      | 1.8               | W/O    | ≥2.0                | 1200                | 10/Box                                                                              |
| NBF03-11118120                         | Oval      | 1.8               | W/     | ≥2.0                | 1200                | 10/Box                                                                              |
| NBF03-11018160                         | Oval      | 1.8               | W/O    | ≥2.0                | 1600                | 10/Box                                                                              |
| NBF03-11118160                         | Oval      | 1.8               | W/     | ≥2.0                | 1600                | 10/Box                                                                              |
| NBF13-11018120                         | Alligator | 1.8               | W/O    | ≥2.0                | 1200                | 10/Box                                                                              |
| NBF13-11018160                         | Alligator | 1.8               | W/O    | ≥2.0                | 1600                | 10/Box                                                                              |

|                                       |           |     |     |      |      |                                                                                     |
|---------------------------------------|-----------|-----|-----|------|------|-------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps – Ø2.3 COATED |           |     |     |      |      |  |
| NBF03-01023160                        | Round     | 2.3 | W/O | ≥2.8 | 1600 | 10/Box                                                                              |
| NBF03-01023180                        | Round     | 2.3 | W/O | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF03-01023230                        | Round     | 2.3 | W/O | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF03-11023180                        | Oval      | 2.3 | W/O | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF03-11123180                        | Oval      | 2.3 | W/  | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF03-11023230                        | Oval      | 2.3 | W/O | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF03-11123230                        | Oval      | 2.3 | W/  | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF13-11023180                        | Alligator | 2.3 | W/O | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF13-11123180                        | Alligator | 2.3 | W/  | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF13-11023230                        | Alligator | 2.3 | W/O | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF13-11123230                        | Alligator | 2.3 | W/  | ≥2.8 | 2300 | 10/Box                                                                              |

|                                                      |           |     |     |      |      |                                                                                       |
|------------------------------------------------------|-----------|-----|-----|------|------|---------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps – Large Capacity Ø2.4 COATED |           |     |     |      |      |  |
| LCNBF63-10024180                                     | Alligator | 2.4 | W/O | ≥2.8 | 1800 | 10/Box                                                                                |
| LCNBF63-10124180                                     | Alligator | 2.4 | W/  | ≥2.8 | 1800 | 10/Box                                                                                |
| LCNBF63-10024230                                     | Alligator | 2.4 | W/O | ≥2.8 | 2300 | 10/Box                                                                                |
| LCNBF63-10124230                                     | Alligator | 2.4 | W/  | ≥2.8 | 2300 | 10/Box                                                                                |

|                                             |           |     |     |      |      |                                                                                       |
|---------------------------------------------|-----------|-----|-----|------|------|---------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps Jumbo – Ø3.0 COATED |           |     |     |      |      |  |
| NBF03-01030230                              | Oval      | 3.0 | W/O | ≥3.2 | 2300 | 10/Box                                                                                |
| NBF03-01130230                              | Oval      | 3.0 | W/  | ≥3.2 | 2300 | 10/Box                                                                                |
| NBF13-01030230                              | Alligator | 3.0 | W/O | ≥3.2 | 2300 | 10/Box                                                                                |
| NBF13-01130230                              | Alligator | 3.0 | W/  | ≥3.2 | 2300 | 10/Box                                                                                |

| REF                                      | Jaw Style | Jaw Diameter (mm) | Needle | Channel Size Ø (mm) | Working Length (mm) | Packaging                                                                           |
|------------------------------------------|-----------|-------------------|--------|---------------------|---------------------|-------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps – Ø 1.8 UNCOATED |           |                   |        |                     |                     |  |
| NBF01-11018120                           | Oval      | 1.8               | W/O    | ≥2.0                | 1200                | 10/Box                                                                              |
| NBF01-11118120                           | Oval      | 1.8               | W/     | ≥2.0                | 1200                | 10/Box                                                                              |
| NBF01-11018160                           | Oval      | 1.8               | W/O    | ≥2.0                | 1600                | 10/Box                                                                              |
| NBF01-11118160                           | Oval      | 1.8               | W/     | ≥2.0                | 1600                | 10/Box                                                                              |
| NBF01-11018180                           | Oval      | 1.8               | W/O    | ≥2.0                | 1800                | 10/Box                                                                              |
| NBF01-11118180                           | Oval      | 1.8               | W/     | ≥2.0                | 1800                | 10/Box                                                                              |
| NBF11-11018120                           | Alligator | 1.8               | W/O    | ≥2.0                | 1200                | 10/Box                                                                              |
| NBF11-11018160                           | Alligator | 1.8               | W/O    | ≥2.0                | 1600                | 10/Box                                                                              |
| NBF11-11018180                           | Alligator | 1.8               | W/O    | ≥2.0                | 1800                | 10/Box                                                                              |

|                                         |           |     |     |      |      |                                                                                     |
|-----------------------------------------|-----------|-----|-----|------|------|-------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps – Ø2.3 UNCOATED |           |     |     |      |      |  |
| NBF01-01023160                          | Round     | 2.3 | W/O | ≥2.8 | 1600 | 10/Box                                                                              |
| NBF01-01023230                          | Round     | 2.3 | W/O | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF01-11023120                          | Oval      | 2.3 | W/O | ≥2.8 | 1200 | 10/Box                                                                              |
| NBF01-11123120                          | Oval      | 2.3 | W/  | ≥2.8 | 1200 | 10/Box                                                                              |
| NBF01-11023160                          | Oval      | 2.3 | W/O | ≥2.8 | 1600 | 10/Box                                                                              |
| NBF01-11123160                          | Oval      | 2.3 | W/  | ≥2.8 | 1600 | 10/Box                                                                              |
| NBF01-11023180                          | Oval      | 2.3 | W/O | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF01-11123180                          | Oval      | 2.3 | W/  | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF01-11023230                          | Oval      | 2.3 | W/O | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF01-11123230                          | Oval      | 2.3 | W/  | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF11-11023160                          | Alligator | 2.3 | W/O | ≥2.8 | 1600 | 10/Box                                                                              |
| NBF11-11123160                          | Alligator | 2.3 | W/  | ≥2.8 | 1600 | 10/Box                                                                              |
| NBF11-11023180                          | Alligator | 2.3 | W/O | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF11-11123180                          | Alligator | 2.3 | W/  | ≥2.8 | 1800 | 10/Box                                                                              |
| NBF11-11023230                          | Alligator | 2.3 | W/O | ≥2.8 | 2300 | 10/Box                                                                              |
| NBF11-11123230                          | Alligator | 2.3 | W/  | ≥2.8 | 2300 | 10/Box                                                                              |

|                                               |      |     |     |      |      |                                                                                       |
|-----------------------------------------------|------|-----|-----|------|------|---------------------------------------------------------------------------------------|
| TruBite™ Biopsy Forceps Jumbo – Ø3.0 UNCOATED |      |     |     |      |      |  |
| NBF01-01130180                                | Oval | 3.0 | W/  | ≥3.2 | 1800 | 10/Box                                                                                |
| NBF01-01030230                                | Oval | 3.0 | W/O | ≥3.2 | 2300 | 10/Box                                                                                |
| NBF01-01130230                                | Oval | 3.0 | W/  | ≥3.2 | 2300 | 10/Box                                                                                |

Single-Use Biopsy Forceps

# TechBite™ Biopsy Forceps



Performance Characteristics

- Reliable jaw design delivers precise cutting performance yielding large capacity tissue samples
- Oval and alligator jaws available.
- Reduced shaft length to facilitate easier passage into the working channel even under tortuous conditions
- Coated sheath reduces sliding friction and wear on the biopsy channel
- Available with or without needle to meet different clinical needs
- Thumb-ring handle design provides optimal control and a clear tactile feel

Specifications

| REF                      | Jaw Style | Jaw Diameter (mm) | Needle | Working Length (mm) | Channel Size Ø (mm) | Packaging |
|--------------------------|-----------|-------------------|--------|---------------------|---------------------|-----------|
| TechBite™ Biopsy Forceps |           |                   |        |                     |                     |           |
| EBF33-11018120           | Oval      | 1.8               | W/O    | 1200                | ≥2.0                | 10/Box    |
| EBF33-11018180           | Oval      | 1.8               | W/O    | 1800                | ≥2.0                | 10/Box    |
| EBF33-11018230           | Oval      | 1.8               | W/O    | 2300                | ≥2.0                | 10/Box    |
| EBF33-11023120           | Oval      | 2.3               | W/O    | 1200                | ≥2.8                | 10/Box    |
| EBF33-11023180           | Oval      | 2.3               | W/O    | 1800                | ≥2.8                | 10/Box    |
| EBF33-11023230           | Oval      | 2.3               | W/O    | 2300                | ≥2.8                | 10/Box    |
| EBF33-11123120           | Oval      | 2.3               | W/     | 1200                | ≥2.8                | 10/Box    |
| EBF33-11123180           | Oval      | 2.3               | W/     | 1800                | ≥2.8                | 10/Box    |
| EBF33-11123230           | Oval      | 2.3               | W/     | 2300                | ≥2.8                | 10/Box    |
| EBF43-11018120           | Alligator | 1.8               | W/O    | 1200                | ≥2.0                | 10/Box    |
| EBF43-11018180           | Alligator | 1.8               | W/O    | 1800                | ≥2.0                | 10/Box    |
| EBF43-11018230           | Alligator | 1.8               | W/O    | 2300                | ≥2.0                | 10/Box    |
| EBF43-11023120           | Alligator | 2.3               | W/O    | 1200                | ≥2.8                | 10/Box    |
| EBF43-11023180           | Alligator | 2.3               | W/O    | 1800                | ≥2.8                | 10/Box    |
| EBF43-11023230           | Alligator | 2.3               | W/O    | 2300                | ≥2.8                | 10/Box    |
| EBF43-11123120           | Alligator | 2.3               | W/     | 1200                | ≥2.8                | 10/Box    |
| EBF43-11123180           | Alligator | 2.3               | W/     | 1800                | ≥2.8                | 10/Box    |
| EBF43-11123230           | Alligator | 2.3               | W/     | 2300                | ≥2.8                | 10/Box    |



Performance Characteristics

- Reliability
- Safety
- Very comfortable to use
- High quality riveted scissors joints
- Puncture-proof FEP insulation
- 3-ring handle with Universal power connection
- Excellent cutting characteristics

Specifications

| REF                           | Jaw Diameter (mm) | Channel Size Ø (mm) | Working Length (mm) | Packaging |
|-------------------------------|-------------------|---------------------|---------------------|-----------|
| Disposable Hot Biopsy Forceps |                   |                     |                     |           |
| HBF05-11018120                | 1.8               | ≥2.0                | 1200                | 10/Box    |
| HBF05-11018160                | 1.8               | ≥2.0                | 1600                | 10/Box    |
| HBF05-11018180                | 1.8               | ≥2.0                | 1800                | 10/Box    |
| HBF05-11023120                | 2.3               | ≥2.8                | 1200                | 10/Box    |
| HBF05-11023160                | 2.3               | ≥2.8                | 1600                | 10/Box    |
| HBF05-11023180                | 2.3               | ≥2.8                | 1800                | 10/Box    |
| HBF05-11023230                | 2.3               | ≥2.8                | 2300                | 10/Box    |

# Disposable Hot Biopsy Forceps


MICRO-TECH unites several therapeutic working steps with its practical 2-in-1 solution. On one hand, the disposable hot biopsy forceps serve as a conventional hot forceps, removing small colonic polyps precisely and safely in active mode and taking diagnostically conclusive tissue samples in non-active mode. On the other hand, they serve as an urgent measure for stopping bleeding, since the smallest lesions can be closed again at any time via coagulation current. The disposable hot biopsy forceps are unparalleled by other forceps in their suitability for treatment of patients with an increased risk of bleeding.



Disposable hot biopsy forceps in endoscopic use.

# Cytology Brush

The MICRO-TECH cytology brush can be very easily pushed forward to the desired site through the endoscope and the lesion can then actually be brushed off without effort. The thin bristles enable a tissue-sparing cytologic smear. The plastic tube and the distal ball for closure protect the tissue sample when the device is retracted. A potential contamination of the sample or even a loss of sample is thus excluded.




## Performance Characteristics

- Thin brushes for an optimal collection of cells
- Includes plastic tube and metal head for closure
- For endoscopes with a working channel diameter above 2.0 mm
- Sterile single packaging

## Specifications

| REF                                                                                                  | Brush Diameter (mm) | Brush Length (mm) | Catheter O.D. (mm) | Channel Size Ø (mm) | Working Length (mm) | Packaging |
|------------------------------------------------------------------------------------------------------|---------------------|-------------------|--------------------|---------------------|---------------------|-----------|
| Cytology Brush  |                     |                   |                    |                     |                     |           |
| CYB-18S-18C                                                                                          | 1.8                 | 11.5              | 2.3                | ≥2.8                | 1800                | 20/Box    |
| CYB-24S-18C                                                                                          | 2.4                 | 11.5              | 2.3                | ≥2.8                | 1800                | 20/Box    |
| CYB-24S-24C                                                                                          | 2.4                 | 11.5              | 2.3                | ≥2.8                | 2400                | 20/Box    |
| CYB-30S-16C                                                                                          | 3.0                 | 11.5              | 2.3                | ≥2.8                | 1600                | 20/Box    |
| CYB-30S-23C                                                                                          | 3.0                 | 11.5              | 2.3                | ≥2.8                | 2300                | 20/Box    |
| CYB-40S-18C                                                                                          | 4.0                 | 11.5              | 2.3                | ≥2.8                | 1800                | 20/Box    |
| CYB-40S-24C                                                                                          | 4.0                 | 11.5              | 2.3                | ≥2.8                | 2400                | 20/Box    |

# Multiple Band Ligator Set



## Performance Characteristics

- Both Latex and Synthetic Rubber available in different colors
- Tactile feel. The Band deployment produces a tactile feel that the operator can recognize regardless of surrounding noise in the procedure room
- Large barrel wheel for improved torque
- User friendly assembly with quick set up kit
- We are the only company to offer this product as a sterile unit
- 3 barrels types available 4, 6 & 7 shooter.




Specifications

| REF                       | Required Working Channel<br>(mm) | Scope O.D.<br>(mm) | Bands / Ligating<br>Unit | Band Type  | Packaging                                                                           |
|---------------------------|----------------------------------|--------------------|--------------------------|------------|-------------------------------------------------------------------------------------|
| Multiple Band Ligator Set |                                  |                    |                          |            |  |
| MBLS-7F-NL                | 2.8                              | 9.4-13.0           | 7pcs                     | Latex Free | 1/Box                                                                               |
| MBLS-6F-NL                | 2.8                              | 9.4-13.0           | 6pcs                     | Latex Free | 1/Box                                                                               |
| MBLS-4F-NL                | 2.8                              | 9.4-13.0           | 4pcs                     | Latex Free | 1/Box                                                                               |
| MBLS-7F                   | 2.8                              | 9.4-13.0           | 7pcs                     | Latex      | 1/Box                                                                               |
| MBLS-6F                   | 2.8                              | 9.4-13.0           | 6pcs                     | Latex      | 1/Box                                                                               |
| MBLS-4F                   | 2.8                              | 9.4-13.0           | 4pcs                     | Latex      | 1/Box                                                                               |
| MBLS-XL-7F-NL             | 2.8                              | 11.0-14.0          | 7pcs                     | Latex Free | 1/Box                                                                               |
| MBLS-XL-6F-NL             | 2.8                              | 11.0-14.0          | 6pcs                     | Latex Free | 1/Box                                                                               |
| MBLS-XL-4F-NL             | 2.8                              | 11.0-14.0          | 4pcs                     | Latex Free | 1/Box                                                                               |
| MBLS-XL-7F                | 2.8                              | 11.0-14.0          | 7pcs                     | Latex      | 1/Box                                                                               |
| MBLS-XL-6F                | 2.8                              | 11.0-14.0          | 6pcs                     | Latex      | 1/Box                                                                               |
| MBLS-XL-4F                | 2.8                              | 11.0-14.0          | 4pcs                     | Latex      | 1/Box                                                                               |

# Disposable Cleaning Brush

The disposable cleaning brushes from MICRO-TECH ensure a perfectly cleaned endoscope, thus reducing the risk of cross-contamination to a minimum.



Performance Characteristics

- 2 brush heads for time-saving cleaning
- Protective beads on the brush heads
- Brushes made of resistant nylon
- Individually hygienically packed



Specifications

| REF                       | Brush Type | Brush Diameter (mm) | Brush Length (mm) | Catheter O.D.Ø (mm) | Channel Size Ø (mm) | Working Length (mm) | Valve Brush                                                                         |
|---------------------------|------------|---------------------|-------------------|---------------------|---------------------|---------------------|-------------------------------------------------------------------------------------|
| Disposable Cleaning Brush |            |                     |                   |                     |                     |                     |  |
| CB13-50120/01             | Standard   | 5/12                | 20/40             | N/A                 | N/A                 | N/A                 | Valve Brush                                                                         |
| CB18-5050/16              | Standard   | 5                   | 20                | 1.8                 | ≥2.0                | 1600                | N/A                                                                                 |
| CB18-5050/18              | Standard   | 5                   | 20                | 1.8                 | ≥2.0                | 1800                | N/A                                                                                 |
| CB18-5050/23              | Standard   | 5                   | 20                | 1.8                 | ≥2.0                | 2300                | N/A                                                                                 |
| CB18-T5050/23             | Tapered    | 5                   | 20                | 1.8                 | ≥2.0                | 2300                | N/A                                                                                 |
| CB18-T5050/23-A           | Tapered    | 5                   | 20                | 1.8                 | ≥2.0                | 2300                | With One Head Valve Brush                                                           |
| CB18-T5050/23-B           | Tapered    | 5                   | 20                | 1.8                 | ≥2.0                | 2300                | With Double Head Valve Brush                                                        |
| CB23-5050/18              | Standard   | 5                   | 20                | 2.3                 | ≥2.8                | 1800                | N/A                                                                                 |
| CB23-5050/23              | Standard   | 5                   | 20                | 2.3                 | ≥2.8                | 2300                | N/A                                                                                 |
| CB23-T5050/23             | Tapered    | 5                   | 20                | 2.3                 | ≥2.8                | 2300                | N/A                                                                                 |

Polyp Collection Kit



Performance Characteristics

- Individual packaging
- Easy in-line installation
- Multi-chamber allows for multiple samples
- Visual markers for each chamber
- Single Patient Use

Specifications

| REF                       | Dimension         | Packaging                                                                             |
|---------------------------|-------------------|---------------------------------------------------------------------------------------|
| Disposable Cleaning Brush |                   |  |
| BBP-50                    | Fixed chamber     | 25/Box                                                                                |
| BBP-50-M                  | Removable chamber | 25/Box                                                                                |

# Disposable Bite Block

Different models available: standard, pediatric and mouthguards with a special atraumatic design.



### Performance Characteristics

- Superior design
- Smooth surface to enhance patient comfort
- Large and flexible openings allowing the scope passage and finger-assisting simultaneously
- Strap available to improve safety and convenience

### Specifications

| REF                          | Indication | Color      | Packaging |
|------------------------------|------------|------------|-----------|
| <b>Disposable Bite Block</b> |            |            |           |
| AC01-103.A                   | For Adult  | Blue       | 100/Box   |
| AC01-103.P                   | For Child  | Light Blue | 100/Box   |

# Working Channel Valves



### Performance Characteristics

- To prevent leakages during endoscopic procedures
- Now with improved design to ensure proper fixation on the biopsy channel port and control during use
- New air tight grip which minimizes backflow of liquids during exchange of flexible instruments
- Different options for Olympus and Pentax endoscopes



### Specifications

| REF                           | Description                                      | Packaging |
|-------------------------------|--------------------------------------------------|-----------|
| <b>Working Channel Valves</b> |                                                  |           |
| AC03-102.O                    | Blue, compatible with OLYMPUS/Fujinon endoscopes | 100/Box   |
| AC03-102.P                    | Red, compatible with Pentax endoscopes           | 100/Box   |

# CatchAll™ Transport Pad

The CatchAll™ Transport Pad is a convenient way to transport a soiled endoscope from the procedure to reprocessing room. When securely closed, the pad cushions and protects the scope while providing a sealed transport container.

The pad is simple to set up; includes are sizeable absorbent material pad and thoroughly covers the cart surface.

After use, cinch up the drawstrings and the pad converts to a sealed, cushioned container. The thick absorbent material helps both absorb any fluid and protect the scope during transportation.



## Specifications

| REF                     | Description             | Package Units |
|-------------------------|-------------------------|---------------|
| CatchAll™ Transport Pad |                         |               |
| CP62121                 | CatchAll™ Transport Pad | 25/Box        |

# Unit Conversion Table

| French<br>(F) | Inch<br>(in) | Millimetre<br>(mm) |
|---------------|--------------|--------------------|
| 3F            | 0.039        | 1                  |
| 4F            | 0.053        | 1.35               |
| 5F            | 0.066        | 1.67               |
| 6F            | 0.079        | 2                  |
| 7F            | 0.092        | 2.3                |
| 8F            | 0.105        | 2.7                |
| 9F            | 0.118        | 3                  |
| 10F           | 0.131        | 3.3                |
| 11F           | 0.144        | 3.7                |
| 12F           | 0.158        | 4                  |
| 13F           | 0.17         | 4.3                |
| 14F           | 0.184        | 4.7                |
| 15F           | 0.197        | 5                  |
| 16F           | 0.21         | 5.3                |
| 17F           | 0.223        | 5.7                |
| 18F           | 0.236        | 6                  |
| 19F           | 0.249        | 6.3                |
| 20F           | 0.263        | 6.7                |
| 21F           | 0.268        | 7.3                |
| 24F           | 0.31         | 8                  |
| 26F           | 0.341        | 8.7                |
| 28F           | 0.367        | 9.3                |
| 30F           | 0.393        | 10                 |
| 32F           | 0.419        | 10.7               |
| 34F           | 0.445        | 11.3               |